# Safety Data Sheet (SDS)

-	
ART KQT ARK STG GK(Ac)A PRK(Ac) QLA TK(Ac)A (Biotin) - OH Spec, Inc.	
-	
AnaSpec, Inc. www.anaspec.com 34801 Campus Drive Fremont, CA 94555 Tel: 510-791-9560 Fax: 510-791-9572 Email: service@anaspec.com Kaneka Eurogentec SA, Rue du Bois Saint Jean 5 4102 Seraing Belgium Tel. +32-4-3727400 Fax. +32-4-3727500 E-mail info@eurogentec.com Kaneka Eurogentec Helpdesk	
+32-4-3727665 55235-1	
aboratory use only.	
se contact the regional Eurogentec representation in your try or Kaneka Eurogentec S.A. directly (from 8 am to 6	

 GHS Hazard Classification:

 GHS Physical Hazards:
 Not a dangerous substance according to the GHS

 GHS Health and Environmental Hazards:
 Not a dangerous substance according to the GHS

GHS Signal Words: None

GHS Hazard Statements: None

GHS Precautionary Statements: None

Potential Health Effects for:

*Inhalation:* If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.

Ingestion: If swallowed, wash out mouth with water provided person is conscious. Call a physician.

Skin: In case of contact, immediately wash skin with soap and copious amount of water.

Eyes: In case of contact, immediately flush eyes with copious amounts of water for at least 15 minutes.

Chronic Exposures: No information available. We recommend limiting prolonged exposure.

Target Organs: No information available

HMIS Classification

Health hazard: 0 Chronic Health Hazard: 0 Flammability: 0 Physical hazards: 0

NFPA Rating

Health hazard: 0 Fire: 0 Reactivity Hazard: 0

3.	Com	position

Ingredients/Components:

Chemical Name:

#### [Lys(Ac)14/18/23]-Histone H3 (1-24)-GGK(Biotin) H - ART KQT ARK STG GK(Ac)A PRK(Ac) QLA TK(Ac)A GGK(Biotin) -OH

Molecular formula: NA Molecular weight: 3149.8 CAS-No NA EC-No NA

Inhalation:	If dust is inhaled, remove from contaminated area.		
	Encourage patient to blow nose to ensure clear passage of breathing.		
	If irritation or discomfort persists seek medical attention.		
Ingestion:	If swallowed do <b>NOT</b> induce vomiting.		
	If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.		
	Observe the patient carefully.		
	Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably		
	drink.		
	Seek medical advice.		
Skin:	If skin or hair contact occurs:		
	Flush skin and hair with running water (and soap if available).		
	Seek medical attention in event of irritation.		
Eyes:	If this product comes in contact with the eyes:		
	Wash out immediately with fresh running water.		
	Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the		
	eyelids by occasionally lifting the upper and lower lids.		
	If pain persists or recurs seek medical attention.		

1

Alcohol resistant foam. Dry chemical powder. BCF (where regulations permit). Carbon dioxide         Special firefighting procedures:         Alert Emergency Responders and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water course. Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.         Unusual fire and explosions hazards:       Emits toxic fumes under fire conditions         Spill response       Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust. Place in a suitable, labeled container for waste disposal	Extinguishing media:		Water spray or fog.		
Dry chemical powder.       BCF (where regulations permit).         Carbon dioxide       Alert Emergency Responders and tell them location and nature of hazard.         Wear breathing apparatus plus protective gloves.       Prevent, by any means available, spillage from entering drains or water course.         Use water delivered as a fine spray to control fire and cool adjacent area.       DO NOT approach containers suspected to be hot.         Cool fire exposed containers with water spray from a protected locatior If safe to do so, remove containers from path of fire.       Equipment should be thoroughly decontaminated after use.         Unusual fire and explosions hazards:       Emits toxic fumes under fire conditions       Emits toxic fumes under fire conditions         Spill response       Remove all ignition sources.       Clean up all spills immediately.         Avoid contact with skin and eyes.       Control personal contact by using protective equipment.         Use dry clean up procedures and avoid generating dust.       Place in a suitable, labeled container for waste disposal         Containment       Avoid all personal contact, including inhalation.       Wear protective clothing when risk of exposure occurs.         Use in a well-ventilated area.       DO NOT enter confined spaces until atmosphere has been checked.         Do NOT enter confined spaces until atmosphere has been checked.       DO NOT enter somale shoay and water after handling.         Use good occupational work practice.       Empty containers socurely sc	Extinguishing metua.				
BCF (where regulations permit).         Carbon dioxide         Special firefighting procedures:         Alert Emergency Responders and tell them location and nature of hazard.         Wear breathing apparatus plus protective gloves.         Prevent, by any means available, spillage from entering drains or water course.         Use water delivered as a fine spray to control fire and cool adjacent area.         DO NOT approach containers with water spray from a protected location If safe to do so, remove containers from path of fire.         Equipment should be thoroughly decontaminated after use.         Unusual fire and explosions hazards:         Emits toxic fumes under fire conditions <b>6.</b> Accidental Release Measures         Spill response         Remove all ignition sources.         Clean up all spills immediately.         Avoid contact with skin and eyes.         Control personal contact by using protective equipment.         Use in a vell-ventilated area.         DO NOT enter confined spaces until atmosphere has been checked.         DO NOT enter confined spaces until atmosphere has been checked.         DO NOT allow material to contact humans, exposed food or food utensils.         Avoid all personal contact, including inhalation.         Wear protective clothing when risk of exposure occurs.         Use in a vell-ventilated area.         DO NOT enter con					
Special firefighting procedures:       Alert Emergency Responders and tell them location and nature of hazard.         Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water course.       Use water delivered as a fine spray to control fire and cool adjacent area.         DO NOT approach containers suspected to be hot.       Cool fire exposed containers with water spray from a protected location If safe to do so, remove containers from path of fire.         Equipment should be thoroughly decontaminated after use.       Emits toxic fumes under fire conditions <i>Unusual fire and explosions hazards:</i> Emits toxic fumes under fire conditions         Spill response       Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust. Place in a suitable, labeled container for waste disposal <i>Containment</i> Avoid all personal contact, including inhalation. Wear protective coluting when risk of exposure occurs. Use in a well-ventilated area. DO NOT enter confined spaces until atmosphere has been checked. DO NOT enter confined spaces until atmosphere has been checked. DO NOT enter space and water after handling. Use good occupational work practice. Empty containers may contain residual dust which has the potential to accumulate following setting. Such as hands with soop and water after handling. Use good occupational work practice. Empty containers may contain residual dust which has the potential to accumulate following setting. Such dusts may explode in the presence of an appropriate ignitio source. Do NOT cut, drill, grind or weld such contain					
hzard.       Wear breathing appratus plus protective gloves. Prevent, by any means available, spillage from entering drains or water course. Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers subjected to be hot. Cool fire exposed containers with water spray from a protected location If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.         Unusual fire and explosions hazards:       Emits toxic fumes under fire conditions         5. Accidental Release Measures       Emits toxic fumes under fire conditions         Spill response       Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact, including inhalation.         Vea dry clean up procedures and avoid generating dust. Place in a suitable, labeled container for waste disposal De NOT entor contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. DO NOT allow material to contact humans, exposed food or food utensils. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to contairers. Always wash hands with soap and water after handling. Use good occupational work practice. Empty containers sidual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignitio source.         PPE       Use personal protective equipment					
hzard.       Wear breathing appratus plus protective gloves. Prevent, by any means available, spillage from entering drains or water course. Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers subjected to be hot. Cool fire exposed containers with water spray from a protected location If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.         Unusual fire and explosions hazards:       Emits toxic fumes under fire conditions         5. Accidental Release Measures       Emits toxic fumes under fire conditions         Spill response       Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact, including inhalation.         Vea dry clean up procedures and avoid generating dust. Place in a suitable, labeled container for waste disposal De NOT entor contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. DO NOT allow material to contact humans, exposed food or food utensils. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to contairers. Always wash hands with soap and water after handling. Use good occupational work practice. Empty containers sidual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignitio source.         PPE       Use personal protective equipment					
Wear breathing apparatus plus protective gloves.         Prevent, by any means available, spillage from entering drains or water course.         Use water delivered as a fine spray to control fire and cool adjacent area.         DO NOT approach containers suspected to be hot.         Cool fire exposed containers with water spray from a protected location If safe to do so, remove containers from path of fire.         Equipment should be thoroughly decontaminated after use.         Unusual fire and explosions hazards:         Emits toxic fumes under fire conditions         6. Accidental Release Measures         Spill response         Remove all ignition sources.         Clean up all spills immediately.         Avoid contact with skin and eyes.         Control personal contact by using protective equipment.         Use dry clean up procedures and avoid generating dust.         Place in a suitable, labeled container for waste disposal         Containment       Avoid all personal contact, including inhalation.         Wear protective clothing when risk of exposure occurs.       Use in a well-ventilated area.         DO NOT allow material to contact thumans, exposed food or food utensils.       Avoid all personal contact, drink or smoke.         Keep containers securely sealed when not in use.       Avoid all posed area yo containers.         Avays wash hands with soap and water after handling.       Use good occupational work pract	Special firefighting pro	ocedures:			
Prevent, by any means available, spillage from entering drains or water course.         Use water delivered as a fine spray to control fire and cool adjacent area.         DO NOT approach containers suspected to be hot.         Cool fire exposed containers with water spray from a protected location If safe to do so, remove containers from path of fire.         Equipment should be thoroughly decontaminated after use.         Unusual fire and explosions hazards:         Emits toxic fumes under fire conditions         6. Accidental Release Measures         Spill response       Remove all ignition sources.         Clean up all spills immediately.         Avoid contact with skin and eyes.         Control personal contact by using protective equipment.         Use dry clean up procedures and avoid generating dust.         Place in a suitable, labeled container for waste disposal         Containment       Avoid all personal contact, including inhalation.         Wear protective clothing when risk of exposure occurs.       Use in a well-ventilated area.         DO NOT allow material to contact humans, exposed food or food utensils.       Avoid contact with isong and water after handling.         Wea good occupational work practice.       Keep containers securely sealed when not in use.         Avoid contact with incompatible materials.       When handling, DO NOT eat, drink or smoke.         Keep containers sy contain residual dust which has the poten					
course.       Use water delivered as a fine spray to control fire and cool adjacent area.         DO NOT approach containers suspected to be hot.       Cool fire exposed containers with water syray from a protected locatior If safe to do so, remove containers from path of fire.         Equipment should be thoroughly decontaminated after use.       Emits toxic fumes under fire conditions         0. Accidental Release Measures       Emits toxic fumes under fire conditions         5. Accidental Release Measures       Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust. Place in a suitable, labeled container for waste disposal         Containment       Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area.         DO NOT enter confined spaces until atmosphere has been checked. DO NOT enter confined spaces until atmosphere has been checked. DO NOT enter containers. Always wash hands with soap and water after handling. Use good occupational work practice. Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignitio source. Do NOT cut, drill, grind or weld such containers         PPE       Use personal protective equipment					
Use water delivered as a fine spray to control fire and cool adjacent area.         DO NOT approach containers suspected to be hot.         Cool fire exposed containers from path of fire.         Equipment should be thoroughly decontaminated after use.         Unusual fire and explosions hazards:         Emits toxic fumes under fire conditions         6. Accidental Release Measures         Spill response       Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes.         Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust. Place in a suitable, labeled container for waste disposal         Containment       Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. DO NOT enter confined spaces until atmosphere has been checked. DO NOT allow material to contact humans, exposed food or food utensils. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers may contain residual dust which has the potential to accumulate following setting. Such dusts may explode in the presence of an appropriate ignitio source. Do NOT cut, drill, grind or weld such containers         PPE       Use personal protective equipment					
area.       DO NOT approach containers suspected to be hot.         Cool fire exposed containers with water spray from a protected location If safe to do so, remove containers from path of fire.         Equipment should be thoroughly decontaminated after use.         Unusual fire and explosions hazards:       Emits toxic fumes under fire conditions         6. Accidental Release Measures       Spill response         Spill response       Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust. Place in a suitable, labeled container for waste disposal         Containment       Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. DO NOT enter confined spaces until atmosphere has been checked. DO NOT allow material to contact humans, exposed food or food utensils. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hank with soap and water after handling. Use good occupational work practice. Empty containers may contain residual dust which has the potential to accumulate following setting. Such dusts may explode in the presence of an appropriate ignitio source. Do NOT cut, drill, grind or weld such containers         PPE       Use personal protective equipment					
DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.           Unusual fire and explosions hazards:         Emits toxic fumes under fire conditions           6. Accidental Release Measures         Emits toxic fumes under fire conditions           Spill response         Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust. Place in a suitable, labeled container for waste disposal           Containment         Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. DO NOT enter confined spaces until atmosphere has been checked. DO NOT allow material to contact humans, exposed food or food utensils. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Use good occupational work practice. Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignitio source. Do NOT cut, drill, grind or weld such containers           PPE         Use personal protective equipment					
Cool fire exposed containers with water spray from a protected location If safe to do so, remove containers from path of fire.         Equipment should be thoroughly decontaminated after use.         Unusual fire and explosions hazards:       Emits toxic fumes under fire conditions         6. Accidental Release Measures       Spill response         Spill response       Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust. Place in a suitable, labeled container for waste disposal         Containment       Avoid all personal contact, including inhalation. Wear protective colohing when risk of exposure occurs. Use in a well-ventilated area. DO NOT enter confined spaces until atmosphere has been checked. DO NOT enter confined spaces until atmosphere has been checked. DO NOT enter confined spaces until atmosphere has been checked. DO NOT enter confined spaces until atmosphere has been checked. DO NOT enter confined spaces until atmosphere has been checked. DO NOT enter confined spaces until atmosphere has been checked. DO NOT enter confined spaces until atmosphere has been checked. DO NOT enter confined spaces until atmosphere has been checked. DO NOT enter confined space until atmosphere has been checked. DO NOT enter confined space until atmosphere has been checked. DO NOT enter confined spaces until atmosphere has been checked. DO NOT enter drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Use good occupational work practice. Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of					
If safe to do'so, remove containers from path of fire.         Equipment should be thoroughly decontaminated after use.         Unusual fire and explosions hazards:       Emits toxic fumes under fire conditions         6. Accidental Release Measures       Spill response         Remove all ignition sources.       Clean up all spills immediately.         Avoid contact with skin and eyes.       Control personal contact by using protective equipment.         Use dry clean up procedures and avoid generating dust.       Place in a suitable, labeled container for waste disposal         Containment       Avoid all personal contact, including inhalation.         Wear protective clothing when risk of exposure occurs.       Use in a well-ventilated area.         DO NOT enter confined spaces until atmosphere has been checked.       DO NOT allow material to contact humans, exposed food or food utensils.         Avoid contact with incompatible materials.       When handling, DO NOT eat, chrink or smoke.         Keep containers securely sealed when not in use.       Avoid physical damage to containres.         Always wash hands with soap and water after handling.       Use good occupational work practice.         Empty containers may contain residual dust which has the potential to accumulate following setting. Such dusts may explode in the presence of an appropriate ignitio source.         Do NOT cut, drill, grind or weld such containers         PPE       Use personal protective equipment					
Equipment should be thoroughly decontaminated after use.         Unusual fire and explosions hazards:       Emits toxic fumes under fire conditions         6. Accidental Release Measures       Spill response         Spill response       Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust. Place in a suitable, labeled container for waste disposal         Containment       Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. DO NOT enter confined spaces until atmosphere has been checked. DO NOT allow material to contact humans, exposed food or food utensils. Avoid ontact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Use good occupational work practice. Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignitio source. Do NOT cut, drill, grind or weld such containers         PPE       Use personal protective equipment					
Unusual fire and explosions hazards:       Emits toxic fumes under fire conditions         6. Accidental Release Measures       Spill response       Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust. Place in a suitable, labeled container for waste disposal         Containment       Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. DO NOT enter confined spaces until atmosphere has been checked. DO NOT allow material to contact humans, exposed food or food utensils. Avoid contact with incompatible materials. When handling, DO NOT et, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Use good occupational work practice. Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignitio source. Do NOT cut, drill, grind or weld such containers         PPE       Use personal protective equipment			1		
6. Accidental Release Measures         Spill response       Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust. Place in a suitable, labeled container for waste disposal         Containment       Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. DO NOT enter confined spaces until atmosphere has been checked. DO NOT allow material to contact humans, exposed food or food utensils. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Use good occupational work practice. Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignitio source. Do NOT cut, drill, grind or weld such containers         PPE       Use personal protective equipment			Equipment should be thoroughly decontaminated after use.		
Spill response       Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust. Place in a suitable, labeled container for waste disposal         Containment       Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. DO NOT enter confined spaces until atmosphere has been checked. DO NOT allow material to contact humans, exposed food or food utensils. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Use good occupational work practice. Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignitio source. Do NOT cut, drill, grind or weld such containers         PPE       Use personal protective equipment	Unusual fire and explo	osions hazards:	Emits toxic fumes under fire conditions		
Clean up all spills immediately.         Avoid contact with skin and eyes.         Control personal contact by using protective equipment.         Use dry clean up procedures and avoid generating dust.         Place in a suitable, labeled container for waste disposal         Containment         Avoid all personal contact, including inhalation.         Wear protective clothing when risk of exposure occurs.         Use in a well-ventilated area.         DO NOT enter confined spaces until atmosphere has been checked.         DO NOT allow material to contact humans, exposed food or food utensils.         Avoid contact with incompatible materials.         When handling, DO NOT eat, drink or smoke.         Keep containers securely sealed when not in use.         Avoid physical damage to containers.         Always wash hands with soap and water after handling.         Use good occupational work practice.         Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignitio source.         Do NOT cut, drill, grind or weld such containers         PPE       Use personal protective equipment	6. Accidental Release	e Measures			
Clean up all spills immediately.         Avoid contact with skin and eyes.         Control personal contact by using protective equipment.         Use dry clean up procedures and avoid generating dust.         Place in a suitable, labeled container for waste disposal         Containment         Avoid all personal contact, including inhalation.         Wear protective clothing when risk of exposure occurs.         Use in a well-ventilated area.         DO NOT enter confined spaces until atmosphere has been checked.         DO NOT allow material to contact humans, exposed food or food utensils.         Avoid contact with incompatible materials.         When handling, DO NOT eat, drink or smoke.         Keep containers securely sealed when not in use.         Avoid physical damage to containers.         Always wash hands with soap and water after handling.         Use good occupational work practice.         Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignitio source.         Do NOT cut, drill, grind or weld such containers         PPE       Use personal protective equipment	Spill response	Remove a	ll ignition sources.		
Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust. Place in a suitable, labeled container for waste disposalContainmentAvoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. DO NOT enter confined spaces until atmosphere has been checked. DO NOT allow material to contact humans, exposed food or food utensils. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Use good occupational work practice. Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignitio source.PPEUse personal protective equipment					
Use dry clean up procedures and avoid generating dust.         Place in a suitable, labeled container for waste disposal         Containment       Avoid all personal contact, including inhalation.         Wear protective clothing when risk of exposure occurs.       Use in a well-ventilated area.         DO NOT enter confined spaces until atmosphere has been checked.       DO NOT allow material to contact humans, exposed food or food utensils.         Avoid contact with incompatible materials.       When handling, DO NOT eat, drink or smoke.         Keep containers securely sealed when not in use.       Avoid physical damage to containers.         Always wash hands with soap and water after handling.       Use good occupational work practice.         Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignitio source.         Do NOT cut, drill, grind or weld such containers         PPE       Use personal protective equipment		Avoid con			
Place in a suitable, labeled container for waste disposal         Containment       Avoid all personal contact, including inhalation.         Wear protective clothing when risk of exposure occurs.       Use in a well-ventilated area.         DO NOT enter confined spaces until atmosphere has been checked.       DO NOT allow material to contact humans, exposed food or food utensils.         Avoid contact with incompatible materials.       When handling, DO NOT eat, drink or smoke.         Keep containers securely sealed when not in use.       Avoid physical damage to containers.         Always wash hands with soap and water after handling.       Use good occupational work practice.         Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignitio source.         Do NOT cut, drill, grind or weld such containers         PPE       Use personal protective equipment		Control pe	ersonal contact by using protective equipment.		
Containment       Avoid all personal contact, including inhalation.         Wear protective clothing when risk of exposure occurs.       Use in a well-ventilated area.         DO NOT enter confined spaces until atmosphere has been checked.       DO NOT allow material to contact humans, exposed food or food utensils.         Avoid contact with incompatible materials.       When handling, DO NOT eat, drink or smoke.         Keep containers securely sealed when not in use.       Avoid physical damage to containers.         Always wash hands with soap and water after handling.       Use good occupational work practice.         Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignitio source.         Do NOT cut, drill, grind or weld such containers         PPE       Use personal protective equipment		Use dry cl	ean up procedures and avoid generating dust.		
Wear protective clothing when risk of exposure occurs.         Use in a well-ventilated area.         DO NOT enter confined spaces until atmosphere has been checked.         DO NOT allow material to contact humans, exposed food or food utensils.         Avoid contact with incompatible materials.         When handling, DO NOT eat, drink or smoke.         Keep containers securely sealed when not in use.         Avoid physical damage to containers.         Always wash hands with soap and water after handling.         Use good occupational work practice.         Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignitio source.         Do NOT cut, drill, grind or weld such containers         PPE         Use personal protective equipment		Place in a	suitable, labeled container for waste disposal		
Use in a well-ventilated area.DO NOT enter confined spaces until atmosphere has been checked.DO NOT allow material to contact humans, exposed food or food utensils.Avoid contact with incompatible materials.When handling, DO NOT eat, drink or smoke.Keep containers securely sealed when not in use.Avoid physical damage to containers.Always wash hands with soap and water after handling.Use good occupational work practice.Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignitio source.Do NOT cut, drill, grind or weld such containersPPEUse personal protective equipment	Containment				
DO NOT enter confined spaces until atmosphere has been checked.DO NOT allow material to contact humans, exposed food or food utensils.Avoid contact with incompatible materials.When handling, DO NOT eat, drink or smoke.Keep containers securely sealed when not in use.Avoid physical damage to containers.Always wash hands with soap and water after handling.Use good occupational work practice.Empty containers may contain residual dust which has the potential to accumulatefollowing settling. Such dusts may explode in the presence of an appropriate ignitiosource.Do NOT cut, drill, grind or weld such containers					
DO NOT allow material to contact humans, exposed food or food utensils.         Avoid contact with incompatible materials.         When handling, DO NOT eat, drink or smoke.         Keep containers securely sealed when not in use.         Avoid physical damage to containers.         Always wash hands with soap and water after handling.         Use good occupational work practice.         Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignitio source.         Do NOT cut, drill, grind or weld such containers         PPE         Use personal protective equipment					
Avoid contact with incompatible materials.         When handling, DO NOT eat, drink or smoke.         Keep containers securely sealed when not in use.         Avoid physical damage to containers.         Always wash hands with soap and water after handling.         Use good occupational work practice.         Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignitio source.         Do NOT cut, drill, grind or weld such containers         PPE         Use personal protective equipment					
When handling, DO NOT eat, drink or smoke.         Keep containers securely sealed when not in use.         Avoid physical damage to containers.         Always wash hands with soap and water after handling.         Use good occupational work practice.         Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignitio source.         Do NOT cut, drill, grind or weld such containers         PPE         Use personal protective equipment					
Keep containers securely sealed when not in use.         Avoid physical damage to containers.         Always wash hands with soap and water after handling.         Use good occupational work practice.         Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignitio source.         Do NOT cut, drill, grind or weld such containers         PPE         Use personal protective equipment					
Avoid physical damage to containers.         Always wash hands with soap and water after handling.         Use good occupational work practice.         Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignitio source.         Do NOT cut, drill, grind or weld such containers         PPE         Use personal protective equipment			6		
Always wash hands with soap and water after handling.         Use good occupational work practice.         Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignitio source.         Do NOT cut, drill, grind or weld such containers         PPE         Use personal protective equipment					
Use good occupational work practice.         Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignitio source.         Do NOT cut, drill, grind or weld such containers         PPE         Use personal protective equipment					
Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignitio source.         Do NOT cut, drill, grind or weld such containers         PPE         Use personal protective equipment		•	1 0		
following settling. Such dusts may explode in the presence of an appropriate ignitio source.         Do NOT cut, drill, grind or weld such containers         PPE         Use personal protective equipment	Empty cont following s source.				
source.         Do NOT cut, drill, grind or weld such containers         PPE         Use personal protective equipment					
Do NOT cut, drill, grind or weld such containers         PPE         Use personal protective equipment			settling. Such dusts may explode in the presence of an appropriate ignition		
PPE     Use personal protective equipment			cut, drill, grind or weld such containers		
	<u></u>		-		
7 Handling and Storage	PPE	Use perso	nal protective equipment		
7 Handling and Storage					
	7 Uandling and Sta-	20.00			
		breeded and protect	ted from light. Store away from oxidizing agent.		

Г

Store at -20 °C, dry desiccated and protected from light. Store away from oxidizing agent.

Engineering controls	Local exhaust ventilation is required where solids are handled as powders or crystals;
0 0	even when particulates are relatively large, a certain proportion will be powdered by mutual friction.
	Exhaust ventilation should be designed to prevent accumulation and re-circulation of particulates in the workplace.
	If in spite of local exhaust an adverse concentration of the substance in air could occur, respiratory protection should be considered. Such protection might consist of:
	<ul><li>(a): particle dust respirators, if necessary, combined with an absorption cartridge;</li><li>(b): filter respirators with absorption cartridge or canister of the right type;</li></ul>
	(c): fresh-air hoods or masks Build-up of electrostatic charge on the dust particle, may be prevented by bonding and grounding.
	Powder handling equipment such as dust collectors, dryers and mills may require additional protection measures such as explosion venting.
	Air contaminants generated in the workplace possess varying "escape" velocities which, in turn, determine the "capture velocities" of fresh circulating air required to efficiently
	remove the contaminant.
PPE	Use personal protective equipment

# 9. Physical and Chemical Properties

Γ

White Powder
while Powder
Not available
N/A
N/A
N/A

# 10. Stability and Reactivity

Thermal Decomposition	No data available
Dangerous Products of Decomposition	No data available
Dangerous Reactions	COx, NOx when burned

Keep container tightly closed in a dry well-ventilated place. Store in -20 °C, dry refrigerator.

## 11. Toxicological Information

RTECS Number	N/A
Toxicity	No information available.
Health Hazards	Although ingestion is not thought to produce harmful
	effects, the material may still be damaging to the
	health of the individual following ingestion, especially
	where pre-existing organ (e.g. liver, kidney)
	damage is evident. In an occupational setting however,
	ingestion of insignificant quantities is not thought to be
	cause for concern.
Potential Hazards	Not available

### AnaSpec Inc.

34801 Campus Drive, Fremont, CA 94555 Toll-Free: 800-452-5530 • Tel: 510-791-9560 • Fax: 510-791-9573

Carcinogenicity		No significant acute toxicological data identified	
Carcinogenicity: OSHA Permissible Exposure Limit(PEL) Data		N/A	
ACGIH Threshold Limit Values (TLV)		N/A	
neoni incini Emili values (1	LV)		
Reproductive Toxicity:		No information available	
12. Ecological Information			
No information available.			
13. Disposal Considerations			
All waste must be handled in acco	ordance with local,	state and federal regulations. Legislation addressing waste	
		nd/ or territory. Each user must refer to laws operating in their	
area. In some areas, certain waster	s must be tracked.		
14. Transport Information			
Hazard Class	N/A		
Identification Number	N/A		
Packing Group	N/A		
Proper Shipping Name (DOT)	N/A		
15. Regulatory Information			
California Proposition 65: N/A			
US TSCA (Toxic Substance Contr US CEPCLA (Comprehensive En		nse, Compensation, and Liability Act: N/A	
US SARA Title III (Superfund Am			
US Other: N/A	επαπεπις απα Κεαι		
EC EINICS (European Inventory	EC EINICS (European Inventory of Existing Commercial Chemical Substances) Number: N/A		
EC Risk Statements: N/A			
Other Country Regulations: N/A			
16. Other Information			
		icultural or cosmetic use. A technically qualified individual	
	experienced in handling potentially hazardous chemicals must supervise its use. The above information is believed		
to be correct but does not purport to be all inclusive and shall be used only as a guide. Users should mak independent decisions regarding completeness of the information based on all sources available. AnaSpec shall no			
	be held liable for any damage resulting from handling or from contact with the above product.		
be nere have for any damage lest	nung nom nanulli	5 or nom contact with the above product.	