Safety Data Sheet (SDS)

Revision Number: 1.1	Last updated: February 3, 2015
1. Product and Company Ide Product Name:	SensoLyte® 570 West Nile Virus Protease Assay Kit *Fluorimetric*
Manufacturer/Supplier:	AnaSpec, Inc.  www.anaspec.com  34801 Campus Drive  Fremont, CA 94555  Tel: 510-791-9560  Fax: 510-791-9572  Email: service@anaspec.com
Catalog Number	AS-72080
Unit Size	1 kit

# 2. Hazards Identification

Emergency Overview:

GHS Hazard Classification:

GHS Physical Hazards

Component A, B, D: Flammable liquid (Category 4)

Component C: Not applicable

GHS Health and Environmental Hazards

Component A, B, D: Irritant to eyes and skin

Component C: Not applicable

GHS Signal Words:

Component A, B, D: Warning Component C: Not applicable

GHS Hazard Statements:

Component A, B, D: H227 Combustible liquid

Component C: Not applicable

GHS Precautionary Statements:

Component A, B, C, D: None

HMIS Classification:

Component A:	Component B:	Component C:	Component D:
Health hazard: 0	Health hazard: 0	Health hazard: 0	Health hazard: 0
Flammability: 2	Flammability: 2	Flammability: 1	Flammability: 2
Physical hazards: 0	Physical hazards: 0	Physical hazards: 0	Physical hazards: 0

NFPA Rating:

Component A:	Component B:	Component C:	Component D:
Health hazard: 0	Health hazard: 0	Health hazard: 0	Health hazard: 0
Fire: 2	Fire: 2	Fire: 1	Fire: 2
Reactivity hazard: 0	Reactivity hazard: 0	Reactivity hazard: 0	Reactivity hazard: 0

## 3. Composition / Information on Ingredients

Ingredients/Components:

G · · · · · · · · · · · · · · · · · · ·		
Chemical Name:	Description	CAS Number:
Component A	Contains DMSO	67-68-5
Component B	Contains DMSO	67-68-5
Component C	Contains glycerol	56-81-5
Component D	Contains DMSO	67-68-5

#### 4. First Aid Measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

## Component A

Inhalation: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

Ingestion: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with

water. Consult a physician.

Skin: Wash off with soap and plenty of water. Consult a physician.

Eyes: Flush eyes with water as a precaution.

#### **Component B**

Inhalation: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

Ingestion: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with

water. Consult a physician.

Skin: Wash off with soap and plenty of water. Consult a physician.

Eves: Flush eves with water as a precaution.

#### **Component C**

Inhalation: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

*Ingestion:* Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Skin: Wash off with soap and plenty of water. Consult a physician.

Eyes: Flush eyes with water as a precaution.

#### **Component D**

*Inhalation:* If breathe d in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

*Ingestion:* Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with

water. Consult a physician.

Skin: Wash off with soap and plenty of water. Consult a physician.

Eyes: Flush eyes with water as a precaution.

Extinguishing media:		Component A, B and D: For small fires, use dry chemical, or carbon dioxide.
		For large fires, use water spray from a safe distance.
		Component C: Use water spray, dry chemical or carbon dioxide.
Special firefighting proce	dures:	Component A, B and D: Fire fighters should wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear.  Component C: Wear self contained breathing apparatus for fire fighting if necessary.
Unusual fire and explosion	ons hazards:	Component A, B and D: Combustible liquid and vapor. Vapors are heavier than air and may travel to a source of ignition and flash back. Vapors can spread along the ground and collect in low or confined areas. Hazardous carbon oxides and sulphur oxides formed under fire conditions.  Component C: Hazardous carbon oxides and nitrogen oxides formed under fire conditions.
6. Accidental Release Me	<u>easures</u>	
Containment and spill response	leakage or of ignition by wet-brucontainer	ent A, B and D: Immediately contact emergency personnel. Prevent further spillage if safe to do so. Avoid breathing vapors or mist. Remove all sources and provide ventilation. Collect with an electrically protected vacuum cleaner, ushing, or by absorbing with vermiculite, sand or earth, and place in appropriate for disposal. Do not let material enter drains.  Ent C: Avoid breathing vapors, mist or gas. Do not let product enter drains.  Entational containers for disposal.
PPE	Use perso	nal protective equipment

# 7. Handling and Storage

## Component A, B and D:

*Handling:* Wash thoroughly after handling. Remove and wash any contaminated clothing. Keep container tightly closed and avoid contact with eyes, skin, and clothing. Use with adequate ventilation and avoid ingestion and inhalation. Keep away from heat and flame.

*Storage:* Store in a tightly closed container away from moisture, heat, and flame. Store away from incompatible substances. Storage under a nitrogen blanket has been recommended.

# **Component C:**

Handling: Normal measures for preventive fire protection.

Storage: Keep container tightly closed in a dry and well-ventilated place.

# 8. Exposure Controls / Personal Protection

Engineering controls	<b>Component A, B, and D:</b> Facilities storing and using this material should be equipped with a
	safety shower and eyewash station. Adequate ventilation should also be present.
	<b>Component C:</b> Facilities storing or utilizing this material should be equipped with an
	eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations
	low.

# PPE Components A, B and D:

Respiratory System: A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use.

*Skin and Body:* Wear appropriate work uniform or laboratory coat to prevent skin exposure. *Hands:* Use chemical resistant, impervious gloves. Appropriate techniques should be used to remove potentially contaminated gloves.

Eyes: Wear chemical splash goggles (EN166)

#### **Component C:**

Respiratory protection: Respiratory protection is not required. Where protection is desired, use multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

*Skin and Body:* Wear appropriate work uniform or laboratory coat to prevent skin exposure. *Hands:* For prolonged or repeated contact use protective gloves.

Eyes: Safety glasses

#### 9. Physical and Chemical Properties

Physical State	Liquid
Odor	Not determined
Solubility in Water	Soluble
Specific Gravity	Not determined
pH	Component C: 8.0
Boiling Point	Not determined
Melting Point	Not determined
Flash Point	Not determined
Vapor Pressure:	Not determined
Vapor Density:	Not determined

# 10. Stability and Reactivity

Thermal Decomposition	Not applicable
Dangerous Products of Decomposition	Not applicable
Dangerous Reactions	Not applicable

## 11.Toxicological Information

11.10xicological illiorillatic	<u>m</u>
RTECS Number	Component A, B, D: PV6210000
	Component C: MA8050000
Toxicity	Components A, Component B and Component D contain DMSO.
	For <b>DMSO</b>
	Oral LD50
	LD50 Oral - rat - 14,500 mg/kg
	Inhalation LC50
	LC50 Inhalation - rat - 4 h - 40250 ppm
	Dermal LD50
	LD50 Dermal - rabbit - > 5,000 mg/kg
	Components C:
	Acute toxicity
	LD50 Oral - rat - 12,600 mg/kg

	LD50 Dermal - rabbit - > 10,000 mg/kg
	Irritation and corrosion
	Skin - rabbit - Mild skin irritation - 24 h
	Eyes - rabbit - Mild eye irritation - 24 h
Health Hazards	No data available
Potential Hazards	Potential Health Effects
	<i>Inhalation</i> : May be harmful if inhaled. Causes respiratory tract irritation.
	Ingestion: Harmful if swallowed.
	<i>Skin:</i> May be harmful if absorbed through skin. May cause skin irritation.
	Eyes: Causes eye irritation.
	Aggravated Medical Condition: Avoid contact with DMSO solutions
	containing toxic materials or materials with unknown toxicological
	properties. Dimethyl sulfoxide is readily absorbed through skin and may
	carry such materials into the body.
Carcinogenicity:	No data available
OSHA Permissible Exposure Limit(PEL)	No data available
Data	
ACGIH Threshold Limit Values (TLV)	No data available

#### 12. Ecological Information

For Dimethyl sulfoxide (DMSO) CAS-No. 67-68-5 (Component A, B and D contain DMSO)

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 34,000 mg/l - 96 h

LC50 - Oncorhynchus mykiss (rainbow trout) - 35,000 mg/l - 96 h

Toxicity to daphnia and other aquatic invertebrates. EC50 - Daphnia pulex (Water flea) - 27,500 mg/l

Toxicity to algae EC50 - Lepomis macrochirus (Bluegill) - > 400,000 mg/l - 96 h

Components C:

Toxicity to fish LC50 - Carassius auratus (goldfish) - > 5,000 mg/l

LC50 - Pimephales promelas (fathead minnow) - 44,000 mg/l

LC50 - other fish - > 100,100 mg/l

LC50 - Oncorhynchus mykiss (rainbow trout) - 67,500 mg/l - 96 h

#### 13. Disposal Considerations

#### For Components A, B, C and D

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company.

#### **Contaminated packaging**

Dispose of as unused product.

# 14. Transport Information: IATA Exempted quantities labeling

UN Number	N/A
Hazard Class	N/A
Packing Group	N/A
Proper Shipping Name (DOT)	N/A

California Proposition 65	N/A
US TSCA (Toxic Substance Control Act)	All components are listed.
US CERCLA (Comprehensive Environmental	Component A, B, D: 261.33 8(d).
Response, Compensation, and Liability Act)	Component C: N/A
US SARA Title III	Component A, B, D
	SARA 302 components: N/A
	SARA 313 components: N/A
	SARA 311/312 Hazards: Fire Hazard, Chronic Health Hazard
	Component C
	SARA 302 components: N/A
	SARA 313 components: N/A
	SARA 311/312 Hazards: Chronic Health Hazard
US Clean Air Act	Component A, B, C and D
	Listed under Hazardous Air Pollutants: Not listed
	Listed under Class 1 Ozone Depletors: Not listed
	Listed under Class 2 Ozone Depletors: Not listed
	Component A, B, C and D
US Clean Water Act	Listed under "Hazardous Substances": Not listed
	Listed under "Priority Pollutants": Not listed
	Listed under "Toxic Pollutants": Not listed

# US States: Right-to-Know: Listed in the following States:

Component A:	Component B:	Component C:	<b>Component D:</b>	
Pennsylvania	Pennsylvania	Pennsylvania	Pennsylvania	
Revision Date	Revision Date	Revision Date	Revision Date	
2007-03-01 67-68-5	2007-03-01 67-68-5	1991-07-01	2007-03-01 67-68-5	
New Jersey	New Jersey	New Jersey	New Jersey	
Revision Date	Revision Date	Revision Date	Revision Date	
2007-03-01 67-68-5	2007-03-01 67-68-5	1991-07-01	2007-03-01 67-68-5	
Massachusetts	Massachusetts	Massachusetts	Massachusetts	
N/A	N/A	Revision Date	N/A	
		1991-07-01		

# European/International Regulations:

	Component A:	<b>Component B:</b>	<b>Component C:</b>	<b>Component D:</b>
EC EINECS	200-664-3	200-664-3	200-289-5	200-664-3
EC Risk statements	36/37/38	36/37/38	N/A	36/37/38
WGK	1	1	0	1
Canada-	Listed	Listed	Listed	Listed
DSL/NDSL				
Canada-	D2B	D2B	N/A	D2B
WHMIS classification				
Canada-	Listed	Listed	Not Listed	Listed
Canadian Ingredient Disclosure List				

# 16. Other Information

It is not intended for food, drug, household, agricultural or cosmetic use. A technically qualified individual experienced in handling potentially hazardous chemicals must supervise its use. The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guide. Users should make independent decisions regarding completeness of the information based on all sources available. AnaSpec shall not be held liable for any damage resulting from handling or from contact with the above product.