| | Safety Data Sheet (SDS) | | |
|----------------------------|---|--|--|
| Revision Number: 1.1 | Last updated: May 2015 | | |
| 1. Product and Company Ide | ntification | | |
| Product Name: | SensoLyte® Rh110 Elastase Assay Kit *Fluorimetric* | | |
| Manufacturer/Supplier: | AnaSpec, Inc. | | |
| | www.anaspec.com | | |
| | 34801 Campus Drive | | |
| | Fremont, CA 94555 | | |
| | Tel: 510-791-9560 | | |
| | Fax: 510-791-9572 | | |
| | Email: service@anaspec.com | | |
| Catalog Number | AS-72179 | | |
| Unit Size | 1 kit | | |
| | | | |
| 2. Hazards Identification | | | |
| Emergency Overview: | | | |
| GHS Hazard Classification: | | | |
| GHS Physical Hazards | | | |
| Compone | ent A: Flammable liquid (Category 2) | | |
| Compone | ent B: Flammable liquid (Category 2) | | |
| | ent C: None | | |
| Compone | ent D: Not Applicable | | |
| | ent E: Flammable liquid (Category 2) | | |

GHS Health and Environmental Hazards

Component A: Irritant to eyes and skin **Component B:** Irritant to eyes and skin

Component C: H316 Causes Mild Skin Irritation

H320 Causes Mild Eye Irritation

Component D: Irritant to eyes and skin **Component E:** Irritant to eyes and skin

GHS Signal Words:

Component A: Warning
Component B: Warning
Component C: Warning
Component D: Danger
Component E: Warning

GHS Hazard Statements:

Component A: H227 Combustible liquid. Component B: H227 Combustible liquid. Component C: H302 Harmful if swallowed. Component D: H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H410 Very toxic to aquatic life with long lasting effects.

Component E: H227 Combustible liquid.

GHS Precautionary Statements:

Component A: None Component B: None Component C: None Component D: None Component E: None

HMIS Classification:

| Component A: | Component B: | Component C: | Component D: | Component E: |
|---------------------|---------------------|---------------------|---------------------|---------------------|
| Health hazard: 0 |
| Flammability: 2 | Flammability: 2 | Flammability: 0 | Flammability: 0 | Flammability: 2 |
| Physical hazards: 0 |

NFPA Rating:

| Component A: | Component B: | Component C: | Component D: | Component E: |
|----------------------|----------------------|----------------------|----------------------|----------------------|
| Health hazard: 0 |
| Fire: 2 | Fire: 2 | Fire: 0 | Fire: 0 | Fire: 2 |
| Reactivity hazard: 0 |

3. Composition / Information on Ingredients

Ingredients/Components:

| Chemical Name: | Description | CAS Number: |
|--------------------|----------------------------|-------------|
| Component A | Contains DMSO | 67-68-5 |
| Component B | Contains DMSO | 67-68-5 |
| Component C | Elastase, porcine pancreas | N/A |
| Component D | Proprietary | N/A |
| Component E | Contains DMSO | 67-68-5 |

4. First Aid Measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

Component A

Inhalation: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a

physician.

Ingestion: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth

with water. Consult a physician.

Skin: Wash off with soap and plenty of water. Consult a physician.

Eyes: Flush eyes with water as a precaution.

Component B

Inhalation: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a

physician.

Ingestion: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth

with water. Consult a physician.

Skin: Wash off with soap and plenty of water. Consult a physician.

Eyes: Flush eyes with water as a precaution.

Component C

Inhalation: Move subject to fresh air. If breathing is difficult, give oxygen. Give artificial respiration if breathing

has stopped. Get prompt medical attention.

Ingestion: Do NOT induce vomiting. If swallowed, wash out mouth with water if subject is conscious.

Immediately consult a physician. Never give anything by mouth to an unconscious person.

Skin: Remove contaminated clothing. Wash skin thoroughly with soap and water. Consult a physician.

Eyes: Immediately flush eyes with large amount of water for at least 15 minutes. Consult a physician.

Component D

Inhalation: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a

physician.

Ingestion: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth

with water. Consult a physician.

Skin: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.

Consult a physician.

Eyes: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue

rinsing eyes during transport to hospital.

Component E

Inhalation: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a

physician.

Ingestion: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth

with water. Consult a physician.

Skin: Wash off with soap and plenty of water. Consult a physician.

Eyes: Flush eyes with water as a precaution.

| Extinguishing media: | Component A, B and E: For small fires, use alcohol resistant foam, dry chemical, or carbon dioxide. For large fires, use water spray from a safe distance. Component C: None Component D: Not applicable |
|---|--|
| Special firefighting procedures: | Component A, B and E: Fire fighters should wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear. Component C: None Component D: Not applicable |
| Unusual fire and explosions hazards: | Component A, B and E: Combustible liquid and vapor. Vapors are heavier than air and may travel to a source of ignition and flash back. Vapors can spread along the ground and collect in low or confined areas. Hazardous carbon oxides and sulphur oxides formed under fire conditions. Component C: None Component D: Not applicable |

6. Accidental Release Measures

| Containment and spill response | Component A, B and E: Immediately contact emergency personnel. Prevent further leakage or spillage if safe to do so. Avoid breathing vapors or mist. Remove all sources of ignition and provide ventilation. Collect with an electrically protected vacuum cleaner, by wet-brushing, or by absorbing with vermiculite, sand or earth, and place in appropriate container for disposal. Do not let material enter drains. Component C: None Component D: Not applicable |
|--------------------------------|--|
| PPE | Use personal protective equipment |

7. Handling and Storage

Component A, B and E:

Handling: Wash thoroughly after handling. Remove and wash any contaminated clothing. Keep container tightly closed and avoid contact with eyes, skin, and clothing. Use with adequate ventilation and avoid ingestion and inhalation. Keep away from heat and flame.

Storage: Store in a tightly closed container away from moisture, heat, and flame. Store away from incompatible substances. Storage under a nitrogen blanket has been recommended.

Component C: Store at -80 °C Component D: Not applicable

| | /D I.D | 1 * | | |
|------------------------|--|---|--|--|
| Engineering controls | / Personal Protection Component A, B and E: Facilities storing and using this material should be equipped with a safety shower and eyewash station. Adequate ventilation should also be present. Component C: None Component D: Not applicable | | | |
| PPE | Component A, B and E: Respiratory System: A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use. Skin and Body: Wear appropriate work uniform or laboratory coat to prevent skin expose Hands: Use chemical resistant, impervious gloves. Appropriate techniques should be use to remove potentially contaminated gloves. Eyes: Wear chemical splash goggles. Component C: None Component D: Not applicable | | | |
| 9. Physical and Chem | ical Properties | | | |
| Physical State | | Liquid | | |
| Odo | | Not determined | | |
| Solubility in Water | | Soluble | | |
| Specific Gravity | | Not determined | | |
| pH | | Component D - 7.5 | | |
| Boiling Point | | Not determined | | |
| Melting Point | | Not determined | | |
| Flash Point | | Not determined | | |
| Vapor Pressure: | | Not determined | | |
| Vapor Density: | | Not determined Not determined | | |
| 1 | octivity | | | |
| Thermal Decomposition | | Stable under recommended storage conditions | | |
| Dangerous Products of | Decomposition | Not Applicable | | |
| Dangerous Reactions | | No dangerous reactions known. | | |
| 11.Toxicological Infor | mation | | | |
| RTECS Number | | NA | | |
| Toxicity | | Component A, B and E contains DMSO: For DMSO Oral LD50 LD50 Oral - rat - 14,500 mg/kg | | |
| | | Inhalation LC50 | | |

| | LC50 Inhalation - rat - 4 h - 40250 ppm |
|--------------------------------------|--|
| | Dermal LD50 |
| | LD50 Dermal - rabbit - > 5,000 mg/kg |
| IIld-IId- | Management in the track of the |
| Health Hazards | May cause skin irritation. |
| | May cause eye irritation. |
| | May be harmful if swallowed |
| | May be harmful if absorbed through skin. |
| Potential Hazards | Not identified |
| Carcinogenicity: | Not listed by NTP, IARC, or OSHA |
| OSHA Permissible Exposure Limit(PEL) | Not identified |
| Data | |
| ACGIH Threshold Limit Values (TLV) | Not identified |

12. Ecological Information

Component A, B and E contains DMSO:

For Dimethyl sulfoxide (DMSO) CAS-No. 67-68-5

Toxicity

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 34,000 mg/l - 96 h

LC50 - Oncorhynchus mykiss (rainbow trout) - 35,000 mg/l - 96 h

Toxicity to daphnia and other aquatic invertebrates. EC50 - Daphnia pulex (Water flea) - 27,500 mg/l

Toxicity to algae EC50 - Lepomis macrochirus (Bluegill) - > 400,000 mg/l - 96 h

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

PBT and vPvB assessment

No data available

Other adverse effects

No data available

Component C and D: Do not allow product to reach ground water, watercourse, or sewage system.

13. Disposal Considerations

Contaminated packaging

Dispose of as unused product.

Component A, B and E:

For Dimethyl sulfoxide (DMSO) CAS-No. 67-68-5

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company.

Component C: Consult local, state, or national regulations for proper disposal.

Contaminated packaging

Dispose of as unused product.

| 14. Transport Information: IATA Exempted quantities labeling | | |
|--|-----|--|
| UN Number | N/A | |
| Hazard Class | N/A | |
| Identification Number | N/A | |
| Packing Group | N/A | |
| Proper Shipping Name (DOT) | N/A | |

| 15. Regulatory information | |
|--|--|
| California Proposition 65: | Not Listed |
| US TSCA (Toxic Substance Control Act): | Component A: Listed |
| , | Component B: Listed |
| | Component C: Not listed |
| | Component D: Not listed |
| | Component E: Listed |
| US CERCLA (Comprehensive Environmental | Component A : 261.33 8(d). |
| Response, Compensation, and Liability Act: | Component B : 261.33 8(d). |
| | Component C: Not listed |
| | Component D: Not listed |
| | Component E : 261.33 8(d). |
| US SARA Title III | Component A |
| | SARA 302 components: N/A |
| | SARA 313 components: N/A |
| | SARA 311/312 Hazards: Fire Hazard, Chronic Health Hazard |
| | Component B |
| | SARA 302 components: N/A |
| | SARA 313 components: N/A |
| | SARA 311/312 Hazards: Fire Hazard, Chronic Health Hazard |
| | Component C: Not Listed |
| | Component D |
| | SARA 302 components: N/A |
| | SARA 302 components: N/A |
| | SARA 313 components: N/A |
| | SARA 311/312 Hazards: N/A |
| | Component E |
| | SARA 302 components: N/A |
| | SARA 313 components: N/A |
| | SARA 311/312 Hazards: Fire Hazard, Chronic Health Hazard |
| US Clean Air Act: | Component A, B, D and E |
| | Listed under Hazardous Air Pollutants: Not listed |
| | Listed under Class 1 Ozone Depletors: Not listed |
| | Listed under Class 2 Ozone Depletors: Not listed |
| | |
| US Clean Water Act: | Components A, B, D and E |
| | Listed under "Hazardous Substances": Not listed |
| | Listed under "Priority Pollutants": Not listed |
| | Listed under "Toxic Pollutants": Not listed |
| | |

| US States: Right-to-Know: I | Listed in the following States: |
|-----------------------------|---------------------------------|
|-----------------------------|---------------------------------|

| Component A: | Component B: | Component C: | Component D: | Component E: |
|--------------------------|--------------------------|--------------|---------------------|--------------------------|
| Pennsylvania | Pennsylvania | | | Pennsylvania |
| Revision Date 2007-03-01 | Revision Date 2007-03-01 | N/A | N/A | Revision Date 2007-03-01 |
| New Jersey | New Jersey | | | New Jersey |
| Revision Date 2007-03-01 | Revision Date 2007-03-01 | N/A | N/A | Revision Date 2007-03-01 |
| N/A | N/A | N/A | N/A | N/A |

European/International Regulations:

| | Component A | Component B | Component C | Component D | Component E |
|----------------------|-------------|-------------|--------------------|-------------|-------------|
| EC EINICS | 200-664-3 | 200-664-3 | N/A | N/A | 200-664-3 |
| EC Risk statements | 36/37/38 | 36/37/38 | N/A | N/A | 36/37/38 |
| WGK | 1 | 1 | N/A | N/A | 1 |
| Canada- | Listed | Listed | Not listed | Not listed | Listed |
| DSL/NDSL | | | | | |
| Canada- | D2B | D2B | N/A | N/A | D2B |
| WHMIS classification | | | | | |
| Canada- | Listed | Listed | Not listed | Not listed | Listed |
| Canadian Ingredient | | | | | |
| Disclosure List | | | | | |

16. Other Information

It is not intended for food, drug, household, agricultural or cosmetic use. A technically qualified individual experienced in handling potentially hazardous chemicals must supervise its use. The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guide. Users should make independent decisions regarding completeness of the information based on all sources available. AnaSpec shall not be held liable for any damage resulting from handling or from contact with the above product.