Safety Data Sheet (SDS)

Revision Number: 4.0		Last updated 22 July 2019		
1. Product and Company Identification				
Product Name:	Anti-BetaGamma (MPS-Phosducin-like protein C terminus) H - AAV ALL PAV LLA LLA VTD QLG EDF FAV DLE AFL QEF GLL PEK E - OH			
Manufacturer/Supplier:	AnaSpec, Ir	nc.		
	www.anasp	ec.com		
	34801 Campus Drive			
	Fremont, C. Tel: 510-79			
	Fax: 510-79			
	Eman. Serv	ice@anaspec.com		
	Kaneka Eur	rogentec SA,		
		s Saint Jean 5 4102 Seraing Belgiur	n	
	Tel. +32-4-3			
	Fax. +32-4-			
		@eurogentec.com		
		e curogemeere om		
	Kaneka Eur	ogentec Helpdesk		
	Tel. +32-4-3	-		
Catalog Number	AS-24178; AS-24177			
Relevant identified uses of the	For laboratory use only.			
substance/preparation and uses advised		y y y		
against	DI			
Emergency information		act the regional Eurogentec represent	•	
		Kaneka Eurogentec S.A. directly (f	rom 8 am to 6	
	pm)		_	
2. Hazards Identification				
Emergency Overview: We do re		dling all chemicals with caution. Use process. To our knowledge, the hazards of this manner.		
		ance according to the GHS angerous substance according to the GHS		

GHS Signal Words: None

GHS Hazard Statements: None

GHS Precautionary Statements: None

Potential Health Effects for:

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Good hygiene practice requires that exposure be kept to a minimum and that suitable control

measures be used in an occupational setting.

Ingestion: If swallowed, wash out mouth with water provided person is conscious. Call a physician.

Skin: In case of contact, immediately wash skin with soap and copious amount of water.

Eyes: In case of contact, immediately flush eyes with copious amounts of water for at least 15 minutes.

Chronic Exposures: No information available. We recommend limiting prolonged exposure.

Target Organs: No information available

HMIS Classification

Health hazard: 0

Chronic Health Hazard: 0

Flammability: 0

Physical hazards: 0

NFPA Rating

Health hazard: 0

Fire: 0

Reactivity Hazard: 0

3. Composition

Ingredients/Components:

Chemical Name: Anti-BetaGamma (MPS-Phosducin-like protein C terminus)

H - AAV ALL PAV LLA LLA VTD QLG EDF FAV DLE AFL QEF GLL

PEKE - OH

Molecular formula: NA Molecular weight: 4601.7

CAS-No NA EC-No NA

4. First Aid Measures

Inhalation:	If dust is inhaled, remove from contaminated area. Encourage patient to blow nose to ensure clear passage of breathing. If irritation or discomfort persists seek medical attention.
Ingestion:	If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice.
Skin:	If skin or hair contact occurs: Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Eyes:	If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. If pain persists or recurs seek medical attention.

T	<u>sures</u>	TXX	
Extinguishing media:		Water spray or fog.	
		Alcohol resistant foam. Dry chemical powder.	
		BCF (where regulations permit).	
		Carbon dioxide	
		Caroon dioxide	
Special firefighting procedures:		Alert Emergency Responders and tell them location and nature of	
		hazard.	
		Wear breathing apparatus plus protective gloves.	
		Prevent, by any means available, spillage from entering drains or water	
		course.	
		Use water delivered as a fine spray to control fire and cool adjacent	
		area.	
		DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location.	
		If safe to do so, remove containers from path of fire.	
		Equipment should be thoroughly decontaminated after use.	
		Equipment should be thoroughly decontainmated after use.	
Unusual fire and explosions hazards:		Emits toxic fumes under fire conditions	
6. Accidental Release			
		ll ignition sources.	
		all spills immediately.	
Control pe		tact with skin and eyes. rsonal contact by using protective equipment.	
		ean up procedures and avoid generating dust.	
		suitable, labeled container for waste disposal	
1	Avoid all personal contact, including inhalation.		
Containment	Avoid all	personal contact, including inhalation.	
Containment		personal contact, including inhalation. ective clothing when risk of exposure occurs.	
Containment	Wear prot		
Containment	Wear prot Use in a w DO NOT	ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked.	
Containment	Wear prot Use in a w DO NOT DO NOT	ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils.	
Containment	Wear prot Use in a w DO NOT DO NOT Avoid con	ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. ttact with incompatible materials.	
Containment	Wear prot Use in a w DO NOT DO NOT Avoid con When han	ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. utact with incompatible materials. dling, DO NOT eat, drink or smoke.	
Containment	Wear prot Use in a w DO NOT DO NOT Avoid con When han Keep cont	ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. ttact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use.	
Containment	Wear prot Use in a w DO NOT DO NOT Avoid con When han Keep cont Avoid phy	ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. tact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use. visical damage to containers.	
Containment	Wear prot Use in a w DO NOT DO NOT Avoid con When han Keep cont Avoid phy Always w	ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. tact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use. vsical damage to containers. ash hands with soap and water after handling.	
Containment	Wear prot Use in a w DO NOT DO NOT Avoid con When han Keep cont Avoid phy Always w Use good	ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. utact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use. vsical damage to containers. ash hands with soap and water after handling. occupational work practice.	
Containment	Wear prot Use in a w DO NOT DO NOT Avoid con When han Keep cont Avoid phy Always w Use good Empty con	ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. tact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use. vsical damage to containers. ash hands with soap and water after handling.	
Containment	Wear prot Use in a w DO NOT DO NOT Avoid con When han Keep cont Avoid phy Always w Use good Empty con	ective clothing when risk of exposure occurs. yell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. utact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use. vsical damage to containers. ash hands with soap and water after handling. occupational work practice. ntainers may contain residual dust which has the potential to accumulate	
Containment	Wear prot Use in a w DO NOT DO NOT Avoid con When han Keep cont Avoid phy Always w Use good Empty con following source.	ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. stact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use. vsical damage to containers. ash hands with soap and water after handling. occupational work practice. ntainers may contain residual dust which has the potential to accumulate	
Containment PPE	Wear prot Use in a w DO NOT DO NOT Avoid con When han Keep cont Avoid phy Always w Use good Empty con following source. Do NOT o	ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. tact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use. vsical damage to containers. ash hands with soap and water after handling. occupational work practice. ntainers may contain residual dust which has the potential to accumulate settling. Such dusts may explode in the presence of an appropriate ignition	
	Wear prot Use in a w DO NOT DO NOT Avoid con When han Keep cont Avoid phy Always w Use good Empty con following source. Do NOT o	ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. tact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use. vsical damage to containers. ash hands with soap and water after handling. occupational work practice. Intainers may contain residual dust which has the potential to accumulate settling. Such dusts may explode in the presence of an appropriate ignition cut, drill, grind or weld such containers	

8. Exposure Controls / P	ersonal Protection				
Local exhaust ventilation is requeven when particulates are relatingular mutual friction.			equired where solids are handled as powders or crystals; atively large, a certain proportion will be powdered by designed to prevent accumulation and re-circulation of		
	particulates in the wo		designed to prevent accumulation and re-circulation of		
			adverse concentration of the substance in air could occur,		
	respiratory protection should be considered. Such protection might consist of:				
	 (a): particle dust respirators, if necessary, combined with an absorption cartridge; (b): filter respirators with absorption cartridge or canister of the right type; (c): fresh-air hoods or masks Build-up of electrostatic charge on the dust particle, may be prevented by bonding and 				
	rounding.				
		wder handling equipment such as dust collectors, dryers and mills may require itional protection measures such as explosion venting.			
			the workplace possess varying "escape" velocities which,		
	n turn, determine the emove the contamir	-	e velocities" of fresh circulating air required to efficiently		
	Use personal protect		mant		
IIL C	ose personal protect	ive equip	ment		
9. Physical and Chemical	Properties				
Physical State	Solid				
Odour State	Not available				
Solubility in Water	Not available				
Specific Gravity	Not available				
pH	Not available Not available				
Boiling Point	Not available				
Melting Point	Not available				
Flash Point	N/A				
Vapor Pressure:	N/A				
Vapor Density:	N/A				
10. Stability and Reactiv	ity				
Thermal Decomposition		No data	available		
Dangerous Products of De	ecomposition	No data	available		
			Ox when burned		
Keep container tightly clos	sed in a dry well-ver	ntilated pl	lace. Store in -20 °C, dry refrigerator.		
11. Toxicological Inform	ation_				
RTECS Number			N/A		
Toxicity			No information available.		
Health Hazards			Although ingestion is not thought to produce harmful effects, the material may still be damaging to the		
			health of the individual following ingestion, especially		
			where pre-existing organ (e.g. liver, kidney)		
			damage is evident. In an occupational setting however,		
			ingestion of insignificant quantities is not thought to be cause for concern.		
Potential Hazards			Not available		
1 очениш паzaras			INOL AVAILABLE		

Carcinogenicity:	No significant acute toxicological data identified
OSHA Permissible Exposure Limit(PEL) Data	N/A
ACGIH Threshold Limit Values (TLV)	N/A

Reproductive Toxicity: No information available

12. Ecological Information

No information available.

13. Disposal Considerations

All waste must be handled in accordance with local, state and federal regulations. Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

14. Transport Information

Hazard Class	N/A
Identification Number	N/A
Packing Group	N/A
Proper Shipping Name (DOT)	N/A

15. Regulatory Information

California Proposition 65: N/A

US TSCA (Toxic Substance Control Act): N/A

US CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act: N/A

 ${\it US~SARA~Title~III~(Superfund~Amendments~and~Reauthorization~Act:~N/A}$

US Other: N/A

EC EINICS (European Inventory of Existing Commercial Chemical Substances) Number: N/A

EC Risk Statements: N/A

Other Country Regulations: N/A

16. Other Information

It is not intended for food, drug, household, agricultural or cosmetic use. A technically qualified individual experienced in handling potentially hazardous chemicals must supervise its use. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. Users should make independent decisions regarding completeness of the information based on all sources available. AnaSpec shall not be held liable for any damage resulting from handling or from contact with the above product.