Safety Data Sheet (SDS)

Revision Number: 3.0		Last updated: March 19, 202
1. Product and Company Io	dentification	,
Product Name	Dansy	yl - X, SE; Dansyl - X, NHS ester
Manufacturer/Supplier:	AnaS	pec, Inc.
	<u>www</u> .	anaspec.com
		Campus Drive
		ont, CA 94555
		10-791-9560
		510-791-9572
		: service@anaspec.com
Catalog Number:	AS-81	1214
2. Hazards Identification		
GHS Hazard Classification:		
		
GHS Physical Hazards:		
GHS Health and Environmen	ntal Hazards:	
GHS Signal Words:		
GHS Hazard Statements:		
GHS Hazard Symbol/Pictogra	·am:	
GHS Precautionary Statemen	ıts:	
	A word broathing dust	fuma/gas/miat/vanour/array D261
		fume/gas/mist/vapour/spray .P261 tiously with water for several minutes. Remove
		ent and easy to do. Continue rinsing. P305+P351+P338
Description of any hazards no	ot otherwise classified:	N/A

Description of any unknown acute toxicity: N/A

HMIS Classification

Health hazard: 0 Flammability: 0 Physical hazards: 0

NFPA Rating

Health hazard: 0

Fire: 0

Reactivity Hazard: 0

3. Composition / Information on Ingredients

Ingredients/Components:

Chemical Name: Dansyl - X, SE; Dansyl - X, NHS ester

CAS No.: N/A EC No.: N/A

Molecular Formula: $C_{22}H_{27}N_3O_6S$ Molecular Weight: 461.5

4. First Aid Measures

Inhalation:	If dust is inhaled, remove from contaminated area.			
	Encourage patient to blow nose to ensure clear passage of breathing.			
	If irritation or discomfort persists seek medical attention.			
Ingestion:	If swallowed do NOT induce vomiting.			
	If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open			
	airway and prevent aspiration.			
	Observe the patient carefully.			

	Give water to 1	rinse out mout	h, then provide liquid slowly and as much as casualty can comfortably drink.			
	Seek medical a					
	If skin or hair o					
	Flush skin and hair with running water (and soap if available).					
	Seek medical attention in event of irritation.					
	If this product	t comes in contact with the eyes:				
	Wash out imm	mmediately with fresh running water.				
]	Ensure comple	e complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by				
		illy lifting the upper and lower lids.				
	If pain persists	or recurs seek	a medical attention.			
5. Fire Fighting						
Extinguishing media:			Water spray or fog.			
			Alcohol resistant foam.			
			Dry chemical powder.			
			BCF (where regulations permit).			
			Carbon dioxide			
b) Unusual fire a	and explosion i	hazards	Alert Emergency Responders and tell them location and nature of hazard.			
(hazardous comb			Wear breathing apparatus plus protective gloves.			
(ustron produce.		Prevent, by any means available, spillage from entering drains or water course.			
			Use water delivered as a fine spray to control fire and cool adjacent area.			
			DO NOT approach containers suspected to be hot.			
			Cool fire exposed containers with water spray from a protected location.			
			If safe to do so, remove containers from path of fire.			
			Equipment should be thoroughly decontaminated after use.			
			Equipment should be thoroughly decontaininated after use.			
c) PPE for firefig	ghters and		Alert Emergency Responders and tell them location and nature of hazard.			
special firefightin		techniaues:	Wear breathing apparatus plus protective gloves.			
T J. J.G	. G F		Prevent, by any means available, spillage from entering drains or water course.			
			Use water delivered as a fine spray to control fire and cool adjacent area.			
			DO NOT approach containers suspected to be hot.			
			Cool fire exposed containers with water spray from a protected location.			
			If safe to do so, remove containers from path of fire.			
			Equipment should be thoroughly decontaminated after use.			
			Zapapanoni onomia od iniorougini, accominaniano arter acci			
6. Accidental Re	ologo Maggur	*00				
o. Accidental K	cicase Measur	165				
Precautions		Remove all	ignition sources.			
and spill respons	e/procedure	Clean up all spills immediately.				
ana spin response, pr	Avoid conta		act with skin and eyes.			
			sonal contact by using protective equipment.			
		Use dry clean up procedures and avoid generating dust.				
		Place in a suitable, labeled container for waste disposal				
Containment materials	erials	Avoid all personal contact, including inhalation.				
		Wear protective clothing when risk of exposure occurs.				
		Use in a well-ventilated area.				
		DO NOT enter confined spaces until atmosphere has been checked.				
		DO NOT allow material to contact humans, exposed food or food utensils.				
		Avoid contact with incompatible materials.				
			ling, DO NOT eat, drink or smoke.			

Toll-Free: 800-452-5530 • Tel: 510-791-9560 • Fax: 510-791-9573

	Keep containers securely sealed when not in use. Avoid physical damage to containers.						
	Always wash hands with soap and water after handling.						
	Use good occupational work practice.						
	Empty containers may contain residual dust which has the potential to accumulate following						
	settling. Such dusts may explode in the presence of an appropriate ignition source.						
	Do NOT cut, drill, grind or weld such containers						
7 Handling and Stans							
7. Handling and Stora Provisions for safe hand							
Conditions for safe store							
Conditions for safe store	Store at -20°C desiceated and protected from right. Store away from oxidizing agent.						
8. Exposure Controls	Personal Protection						
Exposure limits	OSHA Permissible Exposure Limit(PEL) N/A						
	ACGIH Threshold Limit Values (TLV) N/A						
Engineering controls	Local exhaust ventilation is required where solids are handled as powders or crystals; even when						
Engineering controls	particulates are relatively large, a certain proportion will be powdered by mutual friction.						
	Exhaust ventilation should be designed to prevent accumulation and re-circulation of particulates in the						
	workplace.						
	n spite of local exhaust an adverse concentration of the substance in air could occur, respiratory						
	protection should be considered. Such protection might consist of:						
	expection should be considered. Such protection high consist of: expection should be considered. Such protection high consist of: expection should be considered. Such protection high consist of:						
	(b): filter respirators with absorption cartridge or canister of the right type;						
	(c): fresh-air hoods or masks						
	uild-up of electrostatic charge on the dust particle, may be prevented by bonding and grounding.						
	owder handling equipment such as dust collectors, dryers and mills may require additional protection						
	easures such as explosion venting.						
	r contaminants generated in the workplace possess varying "escape" velocities which, in turn,						
	termine the "capture velocities" of fresh circulating air required to efficiently remove the						
DDE	aminant.						
PPE	Use personal protective equipment						
9. Physical and Chemi	cal Properties						
a) Appearance	solid						
(Physical State, color, e							
b) Odor	N/A						
c) Odor threshold	N/A						
d) pH	N/A						
e) Initial Boiling Point	Not available						
Boiling Range	NY						
f) Flash Point	Not available						
g) Melting Point/Freezi	Not available						
point	Not available						
h) Evaporation Rate:	Not available						
i) Flammability (solid, g	·						
j) Upper/Lower	N/A						
Flammability or Explos	ve						
Limits	N. (1.11						
k) Vapor Pressure:	Not available						

l) Vapor Density:	Not available			
m) Relative Density	Not available			
n) Solubility(ies)	Not available			
o) Partition Coefficient	Not available			
n-octanol/water	inot available			
p) Auto-Ignition	N/A			
Temperature				
q) Decomposition	Not available			
Temperature r) Viscosity	Net available			
s) Other	N/A	Not available		
s) outer	IN/A			
10. Stability and Reactivi	ity			
a) Reactivity		NT/A		
•		N/A		
/		N/A		
c) Possibilities of hazardou		N/A		
		N/A		
e) Incompatible materials		N/A		
f) Hazardous decomposition	on products	COx, NOx when burned		
11. Toxicological Informa	ation_			
a) Likely routes of exposure	2	Absorption through skin or ingestion		
b) Description of the sympt	oms			
c) Effects from short- and long- term exposure	Immediate effects:	May cause irritation and sensitization after prolonged exposure.		
	Delayed effects:	May cause irritation and sensitization after prolonged exposure.		
	Chronic effects:	May cause irritation and sensitization after prolonged exposure.		
d) Toxicity		Not available		
e) Carcinogenicity:		Not available		
12. Ecological Informatio	o <u>n</u>			
13. Disposal Consideration	<u>ons</u>			
	country, state and/ or to	al, state and federal regulations. Legislation addressing waste disposal erritory. Each user must refer to laws operating in their area. In some areas,		
14. Transport Information	<u>on</u>			
UN Number	N/A			
Transport hazard Class	N/A			
Packing Group	N/A			
Proper Shipping Name (DC				

15. Regulatory Information

US TSCA (Toxic Substance Control Act): N/A

US CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act: N/A

US SARA Title III (Superfund Amendments and Reauthorization Act: N/A

US Clean Air Act:

Listed under Hazardous Air Pollutants: N/A Listed under Class 1 Ozone Depletors: N/A Listed under Class 2 Ozone Depletors: N/A

US Clean Water Act:

Listed under "Hazardous Substances": N/A Listed under "Priority Pollutants": N/A Listed under "Toxic Pollutants": N/A

US States:

Right-to-Know:

Listed in the following States: N/A California Proposition 65: NO

European/International Regulations:

EC EINICS (European Inventory of Existing Commercial Chemical Substances) Number: N/A

WGK (Water Danger / Protection): N/A Canada – DSL/NDSL: Not Listed Canada – WHMIS classification: N/A

Canada – Canadian Ingredient Disclosure List: Not Listed

16. Other Information

The above information is believed to be correct but does not purport to be all inclusive. Users of this SDS shall understand it is to be used only as a guide. Users should make independent decisions regarding completeness of the information based on all sources available. Users are granted the right to make unlimited copies of this SDS for internal use only. AnaSpec shall not be held liable for any damage resulting from handling or from contact with the above product. The date of first preparation or last revision is listed at the top of this SDS.