Safety Data Sheet (SDS)

Revision Number: 4.0	Last updated 23 July 2019			
1. Product and Company Identification	nn			
Product Name:	[Lys(Me2)9]-Histone H3 (1-21)-GGK(Biotin), H3K9(Me2), biotin-labeled, amide H - ART KQT ARK(Me2) STG GKA PRK QLA GGK(Biotin) NH2			
Manufacturer/Supplier:	AnaSpec, Inc. www.anaspec.com 34801 Campus Drive Fremont, CA 94555 Tel: 510-791-9560 Fax: 510-791-9572 Email: service@anaspec.com			
	Kaneka Eurogentec SA, Rue du Bois Saint Jean 5 4102 Seraing Belgium Tel. +32-4-3727400 Fax. +32-4-3727500 E-mail info@eurogentec.com			
	Kaneka Eurogentec Helpdesk Tel. +32-4-3727665			
Catalog Number	AS-64627-1			
Relevant identified uses of the substance/preparation and uses advised against	For laboratory use only.			
Emergency information	Please contact the regional Eurogentec representation in your country or Kaneka Eurogentec S.A. directly (from 8 am to 6 pm)			
2. Hazards Identification				
	ecommend handling all chemicals with caution. Use proper dling chemicals. To our knowledge, the hazards of this material			
	angerous substance according to the GHS cards: Not a dangerous substance according to the GHS			

GHS Signal Words: None

GHS Hazard Statements: None

GHS Precautionary Statements: None

Potential Health Effects for:

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Good hygiene practice requires that exposure be kept to a minimum and that suitable control

measures be used in an occupational setting.

Ingestion: If swallowed, wash out mouth with water provided person is conscious. Call a physician.

Skin: In case of contact, immediately wash skin with soap and copious amount of water.

Eyes: In case of contact, immediately flush eyes with copious amounts of water for at least 15 minutes.

Chronic Exposures: No information available. We recommend limiting prolonged exposure.

Target Organs: No information available

HMIS Classification

Health hazard: 0

Chronic Health Hazard: 0

Flammability: 0
Physical hazards: 0

NFPA Rating

Health hazard: 0

Fire: 0

Reactivity Hazard: 0

3. Composition

Ingredients/Components:

Chemical Name: [Lys(Me2)9]-Histone H3 (1-21)-GGK(Biotin), H3K9(Me2), biotin-

labeled, amide

H - ART KQT ARK(Me2) STG GKA PRK QLA GGK(Biotin) - NH2

Molecular formula: NA Molecular weight: 2750.4

CAS-No NA EC-No NA

4. First Aid Measures

II THEFT III I	
Inhalation:	If dust is inhaled, remove from contaminated area. Encourage patient to blow nose to ensure clear passage of breathing.
	If irritation or discomfort persists seek medical attention.
Ingestion:	If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.
	Seek medical advice.
Skin:	If skin or hair contact occurs: Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Eyes:	If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. If pain persists or recurs seek medical attention.

Extinguishing J'	<u>sures</u>	Water spray or for		
Extinguishing media:		Water spray or fog. Alcohol resistant foam.		
		Dry chemical powder.		
		BCF (where regulations permit).		
		Carbon dioxide		
Special firefighting procedures:		Alert Emergency Responders and tell them location and nature of		
		hazard.		
		Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water		
		Use water delivered as a fine spray to control fire and cool adjacent		
		area. DO NOT approach containers suspected to be hot.		
		Cool fire exposed containers with water spray from a protected location.		
		If safe to do so, remove containers from path of fire.		
		Equipment should be thoroughly decontaminated after use.		
Unusual fire and explosions hazards:		Emits toxic fumes under fire conditions		
6. Accidental Release Spill response		n +		
spiii response		ve all ignition sources.		
		Clean up all spills immediately. Avoid contact with skin and eyes.		
		Control personal contact by using protective equipment.		
		y clean up procedures and avoid generating dust.		
		suitable, labeled container for waste disposal		
	Place in a			
Containment				
Containment	Avoid all	personal contact, including inhalation. ective clothing when risk of exposure occurs.		
Containment	Avoid all Wear prot Use in a w	personal contact, including inhalation. ective clothing when risk of exposure occurs. /ell-ventilated area.		
Containment	Avoid all Wear prot Use in a w DO NOT	personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked.		
Containment	Avoid all Wear prot Use in a w DO NOT DO NOT	personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils.		
Containment	Avoid all Wear prot Use in a w DO NOT DO NOT Avoid cor	personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. utact with incompatible materials.		
Containment	Avoid all Wear prot Use in a w DO NOT DO NOT Avoid cor When han	personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. etact with incompatible materials. dling, DO NOT eat, drink or smoke.		
Containment	Avoid all Wear prot Use in a w DO NOT DO NOT Avoid cor When han Keep cont	personal contact, including inhalation. ective clothing when risk of exposure occurs. /ell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. ttact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use.		
Containment	Avoid all Wear prot Use in a w DO NOT DO NOT Avoid cor When han Keep cont	personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. stact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use. vsical damage to containers.		
Containment	Avoid all Wear prot Use in a w DO NOT DO NOT Avoid cor When han Keep cont Avoid phy	personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. attact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use. vsical damage to containers. ash hands with soap and water after handling.		
Containment	Avoid all Wear prot Use in a w DO NOT DO NOT Avoid cor When han Keep cont Avoid phy Always w Use good	personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. attact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use. vsical damage to containers. ash hands with soap and water after handling. occupational work practice.		
Containment	Avoid all Wear prot Use in a w DO NOT DO NOT Avoid cor When han Keep cont Avoid phy Always w Use good Empty cor	personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. attact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use. vsical damage to containers. ash hands with soap and water after handling. occupational work practice. ntainers may contain residual dust which has the potential to accumulate		
Containment	Avoid all Wear prot Use in a w DO NOT DO NOT Avoid cor When han Keep cont Avoid phy Always w Use good Empty cor	personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. attact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use. vsical damage to containers. ash hands with soap and water after handling. occupational work practice. ntainers may contain residual dust which has the potential to accumulate		
Containment	Avoid all Wear prot Use in a w DO NOT DO NOT Avoid cor When han Keep cont Avoid phy Always w Use good Empty cor following source.	personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. attact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use. vsical damage to containers. ash hands with soap and water after handling. occupational work practice.		
Containment	Avoid all Wear prot Use in a w DO NOT DO NOT Avoid cor When han Keep cont Avoid phy Always w Use good Empty cor following source. Do NOT o	personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. tact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use. vsical damage to containers. ash hands with soap and water after handling. occupational work practice. ntainers may contain residual dust which has the potential to accumulate settling. Such dusts may explode in the presence of an appropriate ignition		
	Avoid all Wear prot Use in a w DO NOT DO NOT Avoid cor When han Keep cont Avoid phy Always w Use good Empty cor following source. Do NOT o	personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. attact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use. vsical damage to containers. ash hands with soap and water after handling. occupational work practice. ntainers may contain residual dust which has the potential to accumulate settling. Such dusts may explode in the presence of an appropriate ignition cut, drill, grind or weld such containers		

8. Exposure Controls / Pe	ersonal Protection		
e' m E p If (a (b) (c) B g P	ocal exhaust ventile ven when particulate nutual friction. xhaust ventilation sarticulates in the west in spite of local experience of the particle dust respond fresh-air hoods of the west in the west in spite of local experience of the particle dust respond fresh-air hoods of the west indicates of the particle dust respond fresh-air hoods of the west indicates of the we	ation is retes are rel should be orkplace. thaust an analysis of the pirators, it with absort masks that charge	equired where solids are handled as powders or crystals; atively large, a certain proportion will be powdered by designed to prevent accumulation and re-circulation of adverse concentration of the substance in air could occur, be considered. Such protection might consist of: If necessary, combined with an absorption cartridge; porption cartridge or canister of the right type; age on the dust particle, may be prevented by bonding and such as dust collectors, dryers and mills may require as such as explosion venting.
A	ir contaminants ge	nerated in	the workplace possess varying "escape" velocities which,
			e velocities" of fresh circulating air required to efficiently
	emove the contamir		
PPE U	se personal protect	ive equip	ment
9. Physical and Chemical	Dranarties		
-			
Physical State	Solid Not available		
Odour			
Solubility in Water	Not available		
Specific Gravity pH	Not available		
Boiling Point	Not available Not available		
Melting Point	Not available		
Flash Point	N/A		
Vapor Pressure:	N/A		
Vapor Density:	N/A N/A		
rapor Bensily.	11/11		
10. Stability and Reactivi	<u>ty</u>		
Thermal Decomposition		No data	available
Dangerous Products of Dec	composition	No data	available
		COx, NO	Ox when burned
Keep container tightly close 11. Toxicological Informa	·	ntilated pl	ace. Store in -20 °C, dry refrigerator.
RTECS Number	v =_		N/A
Toxicity Toxicity			No information available.
Health Hazards			Although ingestion is not thought to produce harmful effects, the material may still be damaging to the health of the individual following ingestion, especially where pre-existing organ (e.g. liver, kidney) damage is evident. In an occupational setting however, ingestion of insignificant quantities is not thought to be
			cause for concern.
Potential Hazards			Not available

Carcinogenicity:	No significant acute toxicological data identified
OSHA Permissible Exposure Limit(PEL) Data	N/A
ACGIH Threshold Limit Values (TLV)	N/A

Reproductive Toxicity: No information available

12. Ecological Information

No information available.

13. Disposal Considerations

All waste must be handled in accordance with local, state and federal regulations. Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

14. Transport Information

Hazard Class	N/A
Identification Number	N/A
Packing Group	N/A
Proper Shipping Name (DOT)	N/A

15. Regulatory Information

California Proposition 65: N/A

US TSCA (Toxic Substance Control Act): N/A

US CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act: N/A

US SARA Title III (Superfund Amendments and Reauthorization Act: N/A

US Other: N/A

EC EINICS (European Inventory of Existing Commercial Chemical Substances) Number: N/A

EC Risk Statements: N/A

Other Country Regulations: N/A

16. Other Information

It is not intended for food, drug, household, agricultural or cosmetic use. A technically qualified individual experienced in handling potentially hazardous chemicals must supervise its use. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. Users should make independent decisions regarding completeness of the information based on all sources available. AnaSpec shall not be held liable for any damage resulting from handling or from contact with the above product.