Safety Data Sheet (SDS)

Revision Number: 3.0		Last updated 1 August 2019
1. Product and Company Identification	<u>on</u>	
Product Name:	ERKtide H - ATG PL	S PGP FGR R - OH
Manufacturer/Supplier:	AnaSpec, Inc. www.anaspec.com 34801 Campus Drive Fremont, CA 94555 Tel: 510-791-9560 Fax: 510-791-9572 Email: service@anaspec.com Kaneka Eurogentec SA, Rue du Bois Saint Jean 5 4102 Seraing Belgium Tel. +32-4-3727400	
	Kaneka Eur Tel. +32-4-3	@eurogentec.com ogentec Helpdesk 3727665
Catalog Number	AS-60211-5	
Relevant identified uses of the substance/preparation and uses advised against	For laborate	ory use only.
Emergency information		act the regional Eurogentec representation in your Kaneka Eurogentec S.A. directly (from 8 am to 6
2. Hazards Identification		
		dling all chemicals with caution. Use proper . To our knowledge, the hazards of this material
	_	ance according to the GHS angerous substance according to the GHS
GHS Signal Words: None		

GHS Hazard Statements: None

GHS Precautionary Statements: None

Potential Health Effects for:

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Good hygiene practice requires that exposure be kept to a minimum and that suitable control

measures be used in an occupational setting.

Ingestion: If swallowed, wash out mouth with water provided person is conscious. Call a physician.

Skin: In case of contact, immediately wash skin with soap and copious amount of water.

Eyes: In case of contact, immediately flush eyes with copious amounts of water for at least 15 minutes.

Chronic Exposures: No information available. We recommend limiting prolonged exposure.

Target Organs: No information available

HMIS Classification

Health hazard: 0

Chronic Health Hazard: 0

Flammability: 0
Physical hazards: 0

NFPA Rating

Health hazard: 0

Fire: 0

Reactivity Hazard: 0

3. Composition

Ingredients/Components:

Chemical Name: ERKtide

H - ATG PLS PGP FGR R - OH

Molecular formula: NA Molecular weight: 1312.6

CAS-No NA EC-No NA

4. First Aid Measures

T 1 1	Tronger and the second
Inhalation:	If dust is inhaled, remove from contaminated area.
	Encourage patient to blow nose to ensure clear passage of breathing.
	If irritation or discomfort persists seek medical attention.
Ingestion:	If swallowed do NOT induce vomiting.
	If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to
	maintain open airway and prevent aspiration.
	Observe the patient carefully.
	Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably
	drink.
	Seek medical advice.
Skin:	If skin or hair contact occurs:
	Flush skin and hair with running water (and soap if available).
	Seek medical attention in event of irritation.
Eyes:	If this product comes in contact with the eyes:
	Wash out immediately with fresh running water.
	Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the
	eyelids by occasionally lifting the upper and lower lids.
	If pain persists or recurs seek medical attention.
	1

Alcohol resistant foam. Dry chemical powder. BCF (where regulations permit). Carbon dioxide Special firefighting procedures: Alert Emergency Responders and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves.	5. Fire Fighting Measure	<u>sures</u>		
Dry chemical powder. BCF (where regulations permit). Carbon dioxide Special firefighting procedures: Alert Emergency Responders and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or wat course. Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers suspected to be hot. Cool fire exposed containers with water spray from a protected locati If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. Unusual fire and explosions hazards: Emits toxic fumes under fire conditions 6. Accidental Release Measures Spill response Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust. Place in a suitable, labeled container for waste disposal Containment Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. DO NOT enter confined spaces until atmosphere has been checked. DO NOT enter confined spaces until atmosphere has been checked. DO NOT enter confined spaces until atmosphere has been checked. DO NOT allow material to contact humans, exposed food or food utensils. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Use good occupational work practice. Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignit source. Do NOT cut, drill, grind or weld such containers	Extinguishing media:			
BCF (where regulations permit). Carbon dioxide Special firefighting procedures: Alert Emergency Responders and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or wat course. Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected locatif safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. Unusual fire and explosions hazards: Emits toxic fumes under fire conditions 6. Accidental Release Measures Spill response Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust. Place in a suitable, labeled container for waste disposal Containment Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. DO NOT enter confined spaces until atmosphere has been checked. DO NOT allow material to contact humans, exposed food or food utensils. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Use good occupational work practice. Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignit source. Do NOT cut, drill, grind or weld such containers				
Carbon dioxide Alert Emergency Responders and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or wat course. Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected locati If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. Unusual fire and explosions hazards: Emits toxic fumes under fire conditions 6. Accidental Release Measures Spill response Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust. Place in a suitable, labeled container for waste disposal Containment Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. DO NOT enter confined spaces until atmosphere has been checked. DO NOT enter confined spaces until atmosphere has been checked. DO NOT allow material to contact humans, exposed food or food utensils. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Use good occupational work practice. Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignit source. Do NOT cut, drill, grind or weld such containers				
Alert Emergency Responders and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or wat course. Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected locati If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. Unusual fire and explosions hazards: Emits toxic fumes under fire conditions 6. Accidental Release Measures Spill response Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust. Place in a suitable, labeled container for waste disposal Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. DO NOT enter confined spaces until atmosphere has been checked. DO NOT allow material to contact humans, exposed food or food utensils. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Use good occupational work practice. Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignit source. Do NOT cut, drill, grind or weld such containers				
hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or wat course. Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected locati If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. Unusual fire and explosions hazards: Emits toxic fumes under fire conditions 6. Accidental Release Measures Spill response Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust. Place in a suitable, labeled container for waste disposal Containment Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. DO NOT enter confined spaces until atmosphere has been checked. DO NOT allow material to contact humans, exposed food or food utensils. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Use good occupational work practice. Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignit source. Do NOT cut, drill, grind or weld such containers			Carbon dioxide	
Prevent, by any means available, spillage from entering drains or wat course. Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected locati If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. Unusual fire and explosions hazards: Emits toxic fumes under fire conditions 6. Accidental Release Measures Spill response Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust. Place in a suitable, labeled container for waste disposal Containment Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. DO NOT enter confined spaces until atmosphere has been checked. DO NOT allow material to contact humans, exposed food or food utensils. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Use good occupational work practice. Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignit source. Do NOT cut, drill, grind or weld such containers	Special firefighting procedures:			
Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected locatif safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. Unusual fire and explosions hazards: Emits toxic fumes under fire conditions Emits toxic fumes under fire conditions Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust. Place in a suitable, labeled container for waste disposal Containment Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. DO NOT enter confined spaces until atmosphere has been checked. DO NOT allow material to contact humans, exposed food or food utensils. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Use good occupational work practice. Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignit source. Do NOT cut, drill, grind or weld such containers			Prevent, by any means available, spillage from entering drains or water	
DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected locating safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. Unusual fire and explosions hazards: Emits toxic fumes under fire conditions Emits toxic fumes under fire conditions Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust. Place in a suitable, labeled container for waste disposal Containment Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. DO NOT enter confined spaces until atmosphere has been checked. DO NOT allow material to contact humans, exposed food or food utensils. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Use good occupational work practice. Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignit source. Do NOT cut, drill, grind or weld such containers			Use water delivered as a fine spray to control fire and cool adjacent	
Cool fire exposed containers with water spray from a protected locati If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. Emits toxic fumes under fire conditions				
If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. Unusual fire and explosions hazards: Emits toxic fumes under fire conditions Emits tox				
Equipment should be thoroughly decontaminated after use. Unusual fire and explosions hazards: Emits toxic fumes under fire conditions Emits due fumes under fumes under fire conditions Emits due fumes under fire condit				
6. Accidental Release Measures Spill response Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust. Place in a suitable, labeled container for waste disposal Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. DO NOT enter confined spaces until atmosphere has been checked. DO NOT allow material to contact humans, exposed food or food utensils. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Use good occupational work practice. Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignit source. Do NOT cut, drill, grind or weld such containers				
Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust. Place in a suitable, labeled container for waste disposal Containment Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. DO NOT enter confined spaces until atmosphere has been checked. DO NOT allow material to contact humans, exposed food or food utensils. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Use good occupational work practice. Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignit source. Do NOT cut, drill, grind or weld such containers	Unusual fire and explo	sions hazards:	Emits toxic fumes under fire conditions	
Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust. Place in a suitable, labeled container for waste disposal Containment Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. DO NOT enter confined spaces until atmosphere has been checked. DO NOT allow material to contact humans, exposed food or food utensils. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Use good occupational work practice. Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignit source. Do NOT cut, drill, grind or weld such containers	6. Accidental Release	Measures		
Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust. Place in a suitable, labeled container for waste disposal Containment Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. DO NOT enter confined spaces until atmosphere has been checked. DO NOT allow material to contact humans, exposed food or food utensils. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Use good occupational work practice. Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignit source. Do NOT cut, drill, grind or weld such containers	Spill response			
Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust. Place in a suitable, labeled container for waste disposal Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. DO NOT enter confined spaces until atmosphere has been checked. DO NOT allow material to contact humans, exposed food or food utensils. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Use good occupational work practice. Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignit source. Do NOT cut, drill, grind or weld such containers				
Use dry clean up procedures and avoid generating dust. Place in a suitable, labeled container for waste disposal Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. DO NOT enter confined spaces until atmosphere has been checked. DO NOT allow material to contact humans, exposed food or food utensils. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Use good occupational work practice. Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignit source. Do NOT cut, drill, grind or weld such containers				
Place in a suitable, labeled container for waste disposal Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. DO NOT enter confined spaces until atmosphere has been checked. DO NOT allow material to contact humans, exposed food or food utensils. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Use good occupational work practice. Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignit source. Do NOT cut, drill, grind or weld such containers				
Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. DO NOT enter confined spaces until atmosphere has been checked. DO NOT allow material to contact humans, exposed food or food utensils. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Use good occupational work practice. Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignit source. Do NOT cut, drill, grind or weld such containers				
Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. DO NOT enter confined spaces until atmosphere has been checked. DO NOT allow material to contact humans, exposed food or food utensils. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Use good occupational work practice. Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignit source. Do NOT cut, drill, grind or weld such containers	Containment			
DO NOT enter confined spaces until atmosphere has been checked. DO NOT allow material to contact humans, exposed food or food utensils. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Use good occupational work practice. Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignit source. Do NOT cut, drill, grind or weld such containers				
DO NOT allow material to contact humans, exposed food or food utensils. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Use good occupational work practice. Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignit source. Do NOT cut, drill, grind or weld such containers		Use in a v	vell-ventilated area.	
Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Use good occupational work practice. Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignit source. Do NOT cut, drill, grind or weld such containers				
When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Use good occupational work practice. Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignit source. Do NOT cut, drill, grind or weld such containers			•	
Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Use good occupational work practice. Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignit source. Do NOT cut, drill, grind or weld such containers				
Avoid physical damage to containers. Always wash hands with soap and water after handling. Use good occupational work practice. Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignit source. Do NOT cut, drill, grind or weld such containers	Keep con			
Always wash hands with soap and water after handling. Use good occupational work practice. Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignit source. Do NOT cut, drill, grind or weld such containers				
Use good occupational work practice. Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignit source. Do NOT cut, drill, grind or weld such containers				
following settling. Such dusts may explode in the presence of an appropriate ignit source. Do NOT cut, drill, grind or weld such containers				
source. Do NOT cut, drill, grind or weld such containers		Empty con	ntainers may contain residual dust which has the potential to accumulate	
Do NOT cut, drill, grind or weld such containers		_	settling. Such dusts may explode in the presence of an appropriate ignition	
PPE Use personal protective equipment			cut, drill, grind or weld such containers	
	PPE	Use perso	nal protective equipment	
7. Handling and Storage	7. Handling and Stor	age		

8. Exposure Controls	/ Personal Protection	on.
Engineering controls		tilation is required where solids are handled as powders or crystals;
		lates are relatively large, a certain proportion will be powdered by
	mutual friction.	
		n should be designed to prevent accumulation and re-circulation of
	particulates in the	
		exhaust an adverse concentration of the substance in air could occur, tion should be considered. Such protection might consist of:
		espirators, if necessary, combined with an absorption cartridge;
		ors with absorption cartridge or canister of the right type;
	(c): fresh-air hood	
		ostatic charge on the dust particle, may be prevented by bonding and
	grounding.	some change on the dust parties, may be prevented by containing and
		equipment such as dust collectors, dryers and mills may require
		ion measures such as explosion venting.
		generated in the workplace possess varying "escape" velocities which,
	in turn, determine	the "capture velocities" of fresh circulating air required to efficiently
	remove the contar	ninant.
PPE	Use personal prote	ective equipment
9. Physical and Chemi	ical Properties	
Physical State	White Powder	
Odour	Not available	
Solubility in Water	Not available	
Specific Gravity	Not available	
pH	Not available	
Boiling Point	Not available	
Melting Point	Not available	
Flash Point	N/A	
Vapor Pressure:	N/A	
Vapor Density:	N/A	
•		
10. Stability and Read	<u>ctivity</u>	
Thermal Decomposition		No data available
Dangerous Products of Decomposition		No data available
Dangerous Reactions		COx, NOx when burned
Keep container tightly	closed in a dry well-	ventilated place. Store in -20 °C, dry refrigerator.
11. Toxicological Info	ormation_	
RTECS Number		N/A
T :::		NY ' C '1 11

Toxicity

No information available.

Health Hazards	Although ingestion is not thought to produce harmful
	effects, the material may still be damaging to the
	health of the individual following ingestion, especially
	where pre-existing organ (e.g. liver, kidney)
	damage is evident. In an occupational setting however,
	ingestion of insignificant quantities is not thought to be
	cause for concern.
Potential Hazards	Not available
Carcinogenicity:	No significant acute toxicological data identified
OSHA Permissible Exposure Limit(PEL) Data	N/A
ACGIH Threshold Limit Values (TLV)	N/A
(12)	- "

Reproductive Toxicity:

No information available

12. Ecological Information

No information available.

13. Disposal Considerations

All waste must be handled in accordance with local, state and federal regulations. Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

14. Transport Information

-	
Hazard Class	N/A
Identification Number	N/A
Packing Group	N/A
Proper Shipping Name (DOT)	N/A

15. Regulatory Information

California Proposition 65: N/A

US TSCA (Toxic Substance Control Act): N/A

US CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act: N/A

US SARA Title III (Superfund Amendments and Reauthorization Act: N/A

US Other: N/A

EC EINICS (European Inventory of Existing Commercial Chemical Substances) Number: N/A

EC Risk Statements: N/A

Other Country Regulations: N/A

16. Other Information

It is not intended for food, drug, household, agricultural or cosmetic use. A technically qualified individual experienced in handling potentially hazardous chemicals must supervise its use. The above information is believed

to be correct but does not purport to be all inclusive and shall be used only as a guide. Users should make independent decisions regarding completeness of the information based on all sources available. AnaSpec shall not be held liable for any damage resulting from handling or from contact with the above product.