Safety Data Sheet (SDS)

Revision Number: 3.0	Last updated 30 July 2019
1. Product and Company Identification	<u>on</u>
Product Name:	ACTH (1 - 10) H - SYS MEH FRW G - OH
Manufacturer/Supplier:	AnaSpec, Inc. www.anaspec.com 34801 Campus Drive Fremont, CA 94555 Tel: 510-791-9560 Fax: 510-791-9572 Email: service@anaspec.com Kaneka Eurogentec SA, Rue du Bois Saint Jean 5 4102 Seraing Belgium Tel. +32-4-3727400 Fax. +32-4-3727500 E-mail info@eurogentec.com Kaneka Eurogentec Helpdesk
	Tel. +32-4-3727665
Catalog Number Relevant identified uses of the substance/preparation and uses advised against	AS-20624 For laboratory use only.
Emergency information	Please contact the regional Eurogentec representation in your country or Kaneka Eurogentec S.A. directly (from 8 am to 6 pm)
	ecommend handling all chemicals with caution. Use proper dling chemicals. To our knowledge, the hazards of this material
GHS Hazard Classification: GHS Physical Hazards: Not a d	angerous substance according to the GHS cards: Not a dangerous substance according to the GHS

GHS Hazard Statements: None

GHS Precautionary Statements: None

Potential Health Effects for:

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Good hygiene practice requires that exposure be kept to a minimum and that suitable control

measures be used in an occupational setting.

Ingestion: If swallowed, wash out mouth with water provided person is conscious. Call a physician.

Skin: In case of contact, immediately wash skin with soap and copious amount of water.

Eyes: In case of contact, immediately flush eyes with copious amounts of water for at least 15 minutes.

Chronic Exposures: No information available. We recommend limiting prolonged exposure.

Target Organs: No information available

HMIS Classification

Health hazard: 0

Chronic Health Hazard: 0

Flammability: 0
Physical hazards: 0

NFPA Rating

Health hazard: 0

Fire: 0

Reactivity Hazard: 0

3. Composition

Ingredients/Components:

Chemical Name: ACTH (1 - 10)

H - SYS MEH FRW G - OH

Molecular formula: NA Molecular weight: 1299.5

CAS-No NA EC-No NA

4. First Aid Measures

Inhalation:	If dust is inhaled, remove from contaminated area.		
	Encourage patient to blow nose to ensure clear passage of breathing.		
	If irritation or discomfort persists seek medical attention.		
Ingestion:	If swallowed do NOT induce vomiting.		
	If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.		
	Observe the patient carefully.		
	Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably		
	drink.		
	Seek medical advice.		
Skin:	If skin or hair contact occurs:		
	Flush skin and hair with running water (and soap if available).		
	Seek medical attention in event of irritation.		
Eyes:	If this product comes in contact with the eyes:		
·	Wash out immediately with fresh running water.		
	Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the		
	eyelids by occasionally lifting the upper and lower lids.		
	If pain persists or recurs seek medical attention.		

77	<u>sures</u>	Type C	
Extinguishing media:		Water spray or fog.	
		Alcohol resistant foam. Dry chemical powder.	
		BCF (where regulations permit).	
		Carbon dioxide	
		Caroon dioxide	
Special firefighting procedures:		Alert Emergency Responders and tell them location and nature of	
		hazard.	
		Wear breathing apparatus plus protective gloves.	
		Prevent, by any means available, spillage from entering drains or water course.	
		Use water delivered as a fine spray to control fire and cool adjacent	
		area.	
		DO NOT approach containers suspected to be hot.	
		Cool fire exposed containers with water spray from a protected location.	
		If safe to do so, remove containers from path of fire.	
		Equipment should be thoroughly decontaminated after use.	
Unusual fire and explos	sions hazards:	Emits toxic fumes under fire conditions	
6. Accidental Release	Measures		
Spill response	Remove al	Il ignition sources.	
	Clean up all spills immediately.		
	Avoid contact with skin and eyes.		
		ersonal contact by using protective equipment.	
	Use dry cl	ean up procedures and avoid generating dust.	
		Place in a suitable, labeled container for waste disposal	
	Place in a	suitable, labeled container for waste disposal	
Containment	Place in a Avoid all 1	suitable, labeled container for waste disposal personal contact, including inhalation.	
Containment	Place in a Avoid all j Wear prote	suitable, labeled container for waste disposal personal contact, including inhalation. ective clothing when risk of exposure occurs.	
Containment	Place in a Avoid all Wear prote Use in a w	suitable, labeled container for waste disposal personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area.	
Containment	Place in a Avoid all p Wear prote Use in a w DO NOT	suitable, labeled container for waste disposal personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked.	
Containment	Place in a Avoid all J Wear prote Use in a w DO NOT a DO NOT a	suitable, labeled container for waste disposal personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils.	
Containment	Place in a Avoid all J Wear prote Use in a w DO NOT a DO NOT a Avoid con	suitable, labeled container for waste disposal personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. ttact with incompatible materials.	
Containment	Place in a Avoid all J Wear prote Use in a w DO NOT a DO NOT a Avoid con When hand	suitable, labeled container for waste disposal personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. utact with incompatible materials. dling, DO NOT eat, drink or smoke.	
Containment	Place in a Avoid all j Wear prote Use in a w DO NOT a Avoid con When han Keep cont	suitable, labeled container for waste disposal personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. ttact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use.	
Containment	Place in a Avoid all j Wear prote Use in a w DO NOT a Avoid con When hank Keep cont Avoid phy	suitable, labeled container for waste disposal personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. etact with incompatible materials. dling, DO NOT eat, drink or smoke. eniners securely sealed when not in use. exical damage to containers.	
Containment	Place in a Avoid all p Wear prote Use in a w DO NOT o DO NOT o Avoid con When hand Keep cont Avoid phy Always wa	suitable, labeled container for waste disposal personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. stact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use. vsical damage to containers. ash hands with soap and water after handling.	
Containment	Place in a Avoid all p Wear prote Use in a w DO NOT a Avoid con When han Keep cont Avoid phy Always wa Use good	suitable, labeled container for waste disposal personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. stact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use. visical damage to containers. ash hands with soap and water after handling. occupational work practice.	
Containment	Place in a Avoid all p Wear prote Use in a w DO NOT o DO NOT o Avoid con When han Keep cont Avoid phy Always wo Use good o Empty cor	suitable, labeled container for waste disposal personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. stact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use. vsical damage to containers. ash hands with soap and water after handling.	
Containment	Place in a Avoid all p Wear prote Use in a w DO NOT o DO NOT o Avoid con When han Keep cont Avoid phy Always wo Use good o Empty cor	suitable, labeled container for waste disposal personal contact, including inhalation. ective clothing when risk of exposure occurs. rell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. tact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use. resical damage to containers. ash hands with soap and water after handling. occupational work practice. ntainers may contain residual dust which has the potential to accumulate	
Containment	Place in a Avoid all p Wear prote Use in a w DO NOT a DO NOT a Avoid con When han Keep cont Avoid phy Always wa Use good Empty cor following source.	suitable, labeled container for waste disposal personal contact, including inhalation. ective clothing when risk of exposure occurs. rell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. tact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use. resical damage to containers. ash hands with soap and water after handling. occupational work practice. ntainers may contain residual dust which has the potential to accumulate	
Containment PPE	Place in a Avoid all p Wear prote Use in a w DO NOT a Avoid con When hand Keep cont Avoid phy Always wa Use good a Empty cor following source. Do NOT a	suitable, labeled container for waste disposal personal contact, including inhalation. ective clothing when risk of exposure occurs. rell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. ttact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use. resical damage to containers. ash hands with soap and water after handling. occupational work practice. htainers may contain residual dust which has the potential to accumulate settling. Such dusts may explode in the presence of an appropriate ignition	
	Place in a Avoid all p Wear prote Use in a w DO NOT a Avoid con When hand Keep cont Avoid phy Always wa Use good a Empty cor following source. Do NOT a	suitable, labeled container for waste disposal personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. stact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use. visical damage to containers. ash hands with soap and water after handling. occupational work practice. htainers may contain residual dust which has the potential to accumulate settling. Such dusts may explode in the presence of an appropriate ignition but, drill, grind or weld such containers	

8. Exposure Controls	/ Personal Protection	on.							
Engineering controls		tilation is required where solids are handled as powders or crystals;							
		lates are relatively large, a certain proportion will be powdered by							
	mutual friction. Exhaust ventilation should be designed to prevent accumulation and re-circulation of particulates in the workplace. If in spite of local exhaust an adverse concentration of the substance in air could occur, respiratory protection should be considered. Such protection might consist of: (a): particle dust respirators, if necessary, combined with an absorption cartridge; (b): filter respirators with absorption cartridge or canister of the right type; (c): fresh-air hoods or masks Build-up of electrostatic charge on the dust particle, may be prevented by bonding and								
					grounding.				
						Powder handling equipment such as dust collectors, dryers and mills may require additional protection measures such as explosion venting. Air contaminants generated in the workplace possess varying "escape" velocities which, in turn, determine the "capture velocities" of fresh circulating air required to efficiently			
	remove the contaminant.								
PPE	Use personal prote	ective equipment							
9. Physical and Chemi	ical Properties								
Physical State	White Powder								
Odour	Not available								
Solubility in Water	Not available								
Specific Gravity	Not available								
pH	Not available								
Boiling Point	Not available								
Melting Point	Not available								
Flash Point	N/A								
Vapor Pressure:	N/A								
Vapor Density:	N/A								
•									
10. Stability and Read	<u>ctivity</u>								
Thermal Decomposition	n	No data available							
Dangerous Products of	Decomposition	No data available							
Dangerous Reactions		COx, NOx when burned							
Keep container tightly	closed in a dry well-	ventilated place. Store in -20 °C, dry refrigerator.							
11. Toxicological Info	ormation_								
RTECS Number		N/A							
T :::		NY ' C '1 11							

Toxicity

No information available.

Health Hazards	Although ingestion is not thought to produce harmful
	effects, the material may still be damaging to the
	health of the individual following ingestion, especially
	where pre-existing organ (e.g. liver, kidney)
	damage is evident. In an occupational setting however,
	ingestion of insignificant quantities is not thought to be
	cause for concern.
Potential Hazards	Not available
Carcinogenicity:	No significant acute toxicological data identified
OSHA Permissible Exposure Limit(PEL) Data	N/A
ACGIH Threshold Limit Values (TLV)	N/A
(12)	- "

Reproductive Toxicity:

No information available

12. Ecological Information

No information available.

13. Disposal Considerations

All waste must be handled in accordance with local, state and federal regulations. Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

14. Transport Information

-	
Hazard Class	N/A
Identification Number	N/A
Packing Group	N/A
Proper Shipping Name (DOT)	N/A

15. Regulatory Information

California Proposition 65: N/A

US TSCA (Toxic Substance Control Act): N/A

US CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act: N/A

US SARA Title III (Superfund Amendments and Reauthorization Act: N/A

US Other: N/A

EC EINICS (European Inventory of Existing Commercial Chemical Substances) Number: N/A

EC Risk Statements: N/A

Other Country Regulations: N/A

16. Other Information

It is not intended for food, drug, household, agricultural or cosmetic use. A technically qualified individual experienced in handling potentially hazardous chemicals must supervise its use. The above information is believed

to be correct but does not purport to be all inclusive and shall be used only as a guide. Users should make independent decisions regarding completeness of the information based on all sources available. AnaSpec shall not be held liable for any damage resulting from handling or from contact with the above product.