Safety Data Sheet (SDS)

Revision Number: 3.0	Last updated: March 26, 20		
1. Product and Company Identification	n		
Product Name:	Pentoxyresorufin		
	[resorufin pentyl ether]		
Recommended use/restrictions on use:	For research use only. Not intended for food, drug, household, agricultural or cosmetic use.		
Manufacturer/Supplier:	AnaSpec, Inc. www.anaspec.com 34801 Campus Drive		
	Fremont, CA 94555 Tel: 510-791-9560 Fax: 510-791-9572		
Catalog Number:	Email: service@anaspec.com AS-85728		

2. Hazards Identification

GHS Hazard Classification:

Skin irritation (Category 2),H315 Eye irritation (Category 2A),H319 Respiratory sensitization (Category 1), H335 Specific target organ toxicity – single exposure (Category 3)

GHS Signal Words: Warning

GHS Hazard Statements:

Causes skin irritation H315 Causes serious eye irritation. H319

May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335

May cause respiratory irritation. H335

GHS Hazard Symbol/Pictogram:



GHS Precautionary Statements:

P261: Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray

P264: Wash skin thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area

P280: Wear protective gloves/ eye protection/ face protection.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P321 Specific treatment (see supplemental first aid instructions on this label).

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

Description of any hazards not otherwise classified: N/A

Description of any unknown acute toxicity: N/A

HMIS Classification

Health hazard: 2 Flammability: 0 Physical hazards: 0

NFPA Rating

Health hazard: 2

Fire: 0

Reactivity Hazard: 0

3. Composition / Information on Ingredients

Ingredients/Components:

Chemical Name: Pentoxyresorufin

[Resorufin pentyl ether]

CAS No.: 87687-03-4 Molecular Formula: $C_{17}H_{17}NO_3$ Molecular Weight: 283.3 g/mol

4. First Aid Measures

Inhalation:	If dust is inhaled, remove from contaminated area.				
	Encourage patient to blow nose to ensure clear passage of breathing.				
	If irritation or discomfort persists seek medical attention.				
Ingestion:	If swallowed do NOT induce vomiting.				
	If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open				
	airway and prevent aspiration.				
	Observe the patient carefully.				
	Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.				
	Seek medical advice.				
Skin:	If skin or hair contact occurs:				
	Flush skin and hair with running water (and soap if available).				
	Seek medical attention in event of irritation.				
Eyes:	If this product comes in contact with the eyes:				
	Wash out immediately with fresh running water.				
	Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by				
	occasionally lifting the upper and lower lids.				
	If pain persists or recurs seek medical attention.				

Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or w Use water delivered as a fine spray to control fire and cool adjacen DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected loc If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. Alert Emergency Responders and tell them location and nature of It Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or w Use water delivered as a fine spray to control fire and cool adjacen DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected loc If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. 6. Accidental Release Measures Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust.	A D B			
Dry chemical powder. BCF (where regulations permit). Carbon dioxide Alert Emergency Responders and tell them location and nature of I Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or w Use water delivered as a fine spray to control fire and cool adjacen DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected loc If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. Alert Emergency Responders and tell them location and nature of I Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or w Use water delivered as a fine spray to control fire and cool adjacen DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected loc If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. 6. Accidental Release Measures Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust.	D B	icohol resistant toam.		
BCF (where regulations permit). Carbon dioxide Alert Emergency Responders and tell them location and nature of I Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or w Use water delivered as a fine spray to control fire and cool adjacen DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected loc If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. Alert Emergency Responders and tell them location and nature of I Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or w Use water delivered as a fine spray to control fire and cool adjacen DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected loc If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. 6. Accidental Release Measures Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust.	В			
Carbon dioxide Alert Emergency Responders and tell them location and nature of the Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or with Use water delivered as a fine spray to control fire and cool adjacen DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected loc lift safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. Alert Emergency Responders and tell them location and nature of the Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or with Use water delivered as a fine spray to control fire and cool adjacen DO NOT approach containers with water spray from a protected loc lift safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. 6. Accidental Release Measures Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust.				
Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or w Use water delivered as a fine spray to control fire and cool adjacen DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected loc If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. Alert Emergency Responders and tell them location and nature of the Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or w Use water delivered as a fine spray to control fire and cool adjacen DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected loc If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. 6. Accidental Release Measures Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust.				
Prevent, by any means available, spillage from entering drains or w Use water delivered as a fine spray to control fire and cool adjacen DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected loc If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. Alert Emergency Responders and tell them location and nature of h Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or w Use water delivered as a fine spray to control fire and cool adjacen DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected loc If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. Precautions and spill response/procedure Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust.	losion hazards A	lert Emergency Responders and tell them location and nature of hazard.		
Use water delivered as a fine spray to control fire and cool adjacen DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected loc If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. Alert Emergency Responders and tell them location and nature of I Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or w Use water delivered as a fine spray to control fire and cool adjacen DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected loc If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. 6. Accidental Release Measures Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust.				
DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected loc lif safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. Alert Emergency Responders and tell them location and nature of head to special firefighting procedures/techniques: Prevent, by any means available, spillage from entering drains or we use water delivered as a fine spray to control fire and cool adjacen DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected loc lif safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. Precautions and spill response/procedure Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust.		revent, by any means available, spillage from entering drains or water course.		
Cool fire exposed containers with water spray from a protected loc If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. Alert Emergency Responders and tell them location and nature of the Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or wear delivered as a fine spray to control fire and cool adjacen DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected loc If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust.				
If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. Alert Emergency Responders and tell them location and nature of the Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or word Use water delivered as a fine spray to control fire and cool adjacen DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected loc If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. 6. Accidental Release Measures Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust.				
Equipment should be thoroughly decontaminated after use. Alert Emergency Responders and tell them location and nature of heaperial firefighting procedures/techniques: Prevent, by any means available, spillage from entering drains or with Use water delivered as a fine spray to control fire and cool adjacen DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected loc If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. 6. Accidental Release Measures Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust.				
Alert Emergency Responders and tell them location and nature of the special firefighting procedures/techniques: Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or with Use water delivered as a fine spray to control fire and cool adjacen DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected loc If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. Precautions and spill response/procedure Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust.				
Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or w Use water delivered as a fine spray to control fire and cool adjacen DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected loc If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. Precautions and spill response/procedure Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust.	E	quipment should be thoroughly decontaminated after use.		
Prevent, by any means available, spillage from entering drains or w Use water delivered as a fine spray to control fire and cool adjacen DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected loc If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. Precautions Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust.		lert Emergency Responders and tell them location and nature of hazard.		
Use water delivered as a fine spray to control fire and cool adjacen DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected loc If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. 6. Accidental Release Measures Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust.				
DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected loc If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. 6. Accidental Release Measures Precautions and spill response/procedure Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust.				
Cool fire exposed containers with water spray from a protected loc If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. 6. Accidental Release Measures Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust.				
If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. 6. Accidental Release Measures Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust.				
Equipment should be thoroughly decontaminated after use. 6. Accidental Release Measures Precautions and spill response/procedure Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust.				
6. Accidental Release Measures Precautions and spill response/procedure Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust.		,		
Precautions and spill response/procedure Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust.		quipment should be thoroughly decontainmated after use.		
Precautions and spill response/procedure Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust.	Mangures			
Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust.	<u>vieasures</u>			
Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust.	Remove all igr	ition sources.		
Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust.		Clean up all spills immediately.		
Use dry clean up procedures and avoid generating dust.				
		Place in a suitable, labeled container for waste disposal		
		Avoid all personal contact, including inhalation.		
		Wear protective clothing when risk of exposure occurs.		
		Use in a well-ventilated area.		
	[[]() N()T enter	DO NOT enter confined spaces until atmosphere has been checked.		
		DO NOT allow material to contact humans, exposed food or food utensils.		
	DO NOT allow	Avoid contact with incompatible materials.		
	DO NOT allow Avoid contact	When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use		
	DO NOT allow Avoid contact When handling			
	DO NOT allow Avoid contact When handling Keep contained	s securely sealed when not in use.		
	DO NOT allow Avoid contact When handling Keep container Avoid physical	s securely sealed when not in use. damage to containers.		
	DO NOT allow Avoid contact When handling Keep contained Avoid physical Always wash h	s securely sealed when not in use. damage to containers. ands with soap and water after handling.		
	DO NOT allow Avoid contact When handling Keep contained Avoid physical Always wash h Use good occu	s securely sealed when not in use. damage to containers. ands with soap and water after handling. pational work practice.		
Empty containers may contain residual dust which has the potential to accumula settling. Such dusts may explode in the presence of an appropriate ignition source.	DO NOT allow Avoid contact When handling Keep contained Avoid physical Always wash h Use good occu Empty contains	s securely sealed when not in use. damage to containers. ands with soap and water after handling. pational work practice. ers may contain residual dust which has the potential to accumulate following		

7. Handling and Stora	ge					
Provisions for safe hand	lling	Use personal protective equipment				
Conditions for safe storage		Store at -20°C desiccated and protected from light. Store away from oxidizing agent.				
8. Exposure Controls /	/ Persona	al Protection				
Exposure limits		ermissible Exposure Limit(PEL) N/A				
	ACGIH '	Threshold Limit Values (TLV) N/A				
Engineering controls	particula Exhaust workplac If in spite protectio (a): parti (b): filter (c): fresh Build-up Powder I measures Air conta	ocal exhaust ventilation is required where solids are handled as powders or crystals; even when rticulates are relatively large, a certain proportion will be powdered by mutual friction. Thaust ventilation should be designed to prevent accumulation and re-circulation of particulates in the orkplace. In spite of local exhaust an adverse concentration of the substance in air could occur, respiratory otection should be considered. Such protection might consist of: In particle dust respirators, if necessary, combined with an absorption cartridge; In filter respirators with absorption cartridge or canister of the right type; In fresh-air hoods or masks In the dust particle, may be prevented by bonding and grounding. In worder handling equipment such as dust collectors, dryers and mills may require additional protection easures such as explosion venting. In contaminants generated in the workplace possess varying "escape" velocities which, in turn,				
PPE	contamir	ermine the "capture velocities" of fresh circulating air required to efficiently remove the taminant.				
9. Physical and Chemi a) Appearance		erties vder				
(Physical State, color, et b) Odor	tc.) N/A					
c) Odor threshold						
d) pH	N/A	N/A				
7.2		Not available				
f) Flash Point	Not	Not available				
		Not available				
h) Evaporation Rate:		Not available				
i) Flammability (solid, gas)		N/A				
		N/A				
k) Vapor Pressure:		Not available				
l) Vapor Density:		Not available				
m) Relative Density		Not available				
n) Solubility(ies)		Not available				
o) Partition Coefficient n-octanol/water		Not available				
p) Auto-Ignition Temperature		N/A				

q) Decomposition	Not available				
Temperature		Not available			
r) Viscosity	Not available	Not available			
s) Other	N/A	N/A			
10. Stability and Reactive	v ity				
10. Stability and Reactive	<u>vity</u>				
a) Reactivity		N/A			
b) Chemical stability		N/A			
c) Possibilities of hazardo	us Reactions	N/A			
d) Conditions to avoid		N/A			
e) Incompatible materials		N/A			
f) Hazardous decompositi	ion products	COx, NOx when burned			
11. Toxicological Inform	nation				
a) Likely routes of exposur		Absorption through skin or ingestion			
b) Description of the symp	ptoms	1 10001pvion vinovigii omii or imgeovion			
c) Effects from short- and long- term exposure	Immediate effect.	s: May cause irritation and sensitization after prolonged exposure.			
	Delayed effects:	May cause irritation and sensitization after prolonged exposure.			
	Chronic effects:	May cause irritation and sensitization after prolonged exposure.			
d) Toxicity	L	Not available			
e) Carcinogenicity:		Not available			
12. Ecological Informati					
	l in accordance with lo y country, state and/o	ocal, state and federal regulations. Legislation addressing waste disposal r territory. Each user must refer to laws operating in their area. In some areas,			
14. Transport Informati	<u>ion</u>				
UN Number	N/A				
Transport hazard Class	N/A				
Packing Group	N/A				
Proper Shipping Name (D	OT/IATA) N/A				
Marine pollutant	N/A				
15. Regulatory Informat	<u>tion</u>				
, .	sive Environmental Re	esponse, Compensation, and Liability Act: N/A Reauthorization Act: N/A			

US Clean Air Act:

Listed under Hazardous Air Pollutants: N/A Listed under Class 1 Ozone Depletors: N/A Listed under Class 2 Ozone Depletors: N/A

US Clean Water Act:

Listed under "Hazardous Substances": N/A
Listed under "Priority Pollutants": N/A
Listed under "Toxic Pollutants": N/A

US States:

Right-to-Know:

Listed in the following States: N/A California Proposition 65: NO

European/International Regulations:

EC EINICS (European Inventory of Existing Commercial Chemical Substances) Number: N/A

WGK (Water Danger / Protection): N/A Canada – DSL/NDSL: Not Listed Canada – WHMIS classification: N/A

Canada – Canadian Ingredient Disclosure List: Not Listed

16. Other Information

The above information is believed to be correct but does not purport to be all inclusive. Users of this SDS shall understand it is to be used only as a guide. Users should make independent decisions regarding completeness of the information based on all sources available. Users are granted the right to make unlimited copies of this SDS for internal use only. AnaSpec shall not be held liable for any damage resulting from handling or from contact with the above product. The date of first preparation or last revision is listed at the top of this SDS.