Safety Data Sheet (SDS)

Revision Number: 3.0		Last updated	12 August 2019
1. Product and Company Identification	<u>n</u>		
Product Name:	H - KC(S-)I	37), rat, mouse N TAT C(S-)AT QRL ANF LVR SSA SNT Y - NH2 dge: 2-7)	N NLG PVL
Manufacturer/Supplier:	Kaneka Eur Rue du Bois Tel. +32-4-7 Fax. +32-4- E-mail info	ec.com pus Drive A 94555 1-9560 01-9572 ice@anaspec.com rogentec SA, s Saint Jean 5 4102 Seraing Belgiu 3727400 3727500 @eurogentec.com rogentec Helpdesk	m
Catalog Number Relevant identified uses of the substance/preparation and uses advised	AS-60253-0		
against Emergency information		act the regional Eurogentec represe Kaneka Eurogentec S.A. directly (	•
protective equipment (PPE) when hand have not been thoroughly investigated.  GHS Hazard Classification: GHS Physical Hazards: Not a definition of the company of the compan	lling chemicals angerous substa	dling all chemicals with caution. Use a. To our knowledge, the hazards of this number of the caution of the caution of the caution. Use the caution of the caution.	naterial
GHS Signal Words: None			

GHS Hazard Statements: None

GHS Precautionary Statements: None

Potential Health Effects for:

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Good hygiene practice requires that exposure be kept to a minimum and that suitable control

measures be used in an occupational setting.

Ingestion: If swallowed, wash out mouth with water provided person is conscious. Call a physician.

Skin: In case of contact, immediately wash skin with soap and copious amount of water.

Eyes: In case of contact, immediately flush eyes with copious amounts of water for at least 15 minutes.

Chronic Exposures: No information available. We recommend limiting prolonged exposure.

Target Organs: No information available

HMIS Classification

Health hazard: 0

Chronic Health Hazard: 0

Flammability: 0
Physical hazards: 0

NFPA Rating

Health hazard: 0

Fire: 0

Reactivity Hazard: 0

# 3. Composition

Ingredients/Components:

Chemical Name: Amylin (1-37), rat, mouse

H - KC(S-)N TAT C(S-)AT QRL ANF LVR SSN NLG PVL PPT NVG SNT

Y - NH2

(Disulfide bridge: 2-7)

Molecular formula: NA Molecular weight: 3920.6

CAS-No NA EC-No NA

## 4. First Aid Measures

Inhalation:	If dust is inhaled, remove from contaminated area.
	Encourage patient to blow nose to ensure clear passage of breathing.
	If irritation or discomfort persists seek medical attention.
Ingestion:	If swallowed do <b>NOT</b> induce vomiting.
	If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to
	maintain open airway and prevent aspiration.
	Observe the patient carefully.
	Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably
	drink.
	Seek medical advice.
Skin:	If skin or hair contact occurs:
	Flush skin and hair with running water (and soap if available).
	Seek medical attention in event of irritation.
Eyes:	If this product comes in contact with the eyes:
	Wash out immediately with fresh running water.
	Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the
	eyelids by occasionally lifting the upper and lower lids.
	If pain persists or recurs seek medical attention.

T ,	<u>ires</u>	Wistonia
Extinguishing media:		Water spray or fog.
		Alcohol resistant foam.  Dry chemical powder.
		BCF (where regulations permit).
		Carbon dioxide
Special firefighting procedures:		Alert Emergency Responders and tell them location and nature of
		hazard.
		Wear breathing apparatus plus protective gloves.
		Prevent, by any means available, spillage from entering drains or water
		course.
		Use water delivered as a fine spray to control fire and cool adjacent
		area.  DO NOT approach containers suspected to be hot.
		Cool fire exposed containers with water spray from a protected location.
		If safe to do so, remove containers from path of fire.
		Equipment should be thoroughly decontaminated after use.
		Equipment should be thoroughly decontainmated after use.
Unusual fire and explosions hazards:		Emits toxic fumes under fire conditions
6. Accidental Release	Measures	
Spill response Remove		ll ignition sources.
		all spills immediately.
	Avoid con	tact with skin and eyes.
		ersonal contact by using protective equipment.
	Control pe	
	Control pe Use dry cl Place in a	ersonal contact by using protective equipment. ean up procedures and avoid generating dust. suitable, labeled container for waste disposal
Containment	Control pe Use dry cl Place in a Avoid all	ersonal contact by using protective equipment. ean up procedures and avoid generating dust. suitable, labeled container for waste disposal personal contact, including inhalation.
Containment	Control pe Use dry cl Place in a Avoid all J Wear prot	ersonal contact by using protective equipment. ean up procedures and avoid generating dust. suitable, labeled container for waste disposal personal contact, including inhalation. ective clothing when risk of exposure occurs.
Containment	Control pe Use dry cl Place in a Avoid all J Wear prot Use in a w	ersonal contact by using protective equipment. ean up procedures and avoid generating dust. suitable, labeled container for waste disposal personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area.
Containment	Control pe Use dry cl Place in a Avoid all J Wear prot Use in a w DO NOT	ersonal contact by using protective equipment. ean up procedures and avoid generating dust. suitable, labeled container for waste disposal personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked.
Containment	Control pe Use dry cl Place in a Avoid all J Wear prot Use in a w DO NOT	ersonal contact by using protective equipment. ean up procedures and avoid generating dust. suitable, labeled container for waste disposal personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils.
Containment	Control pe Use dry cl Place in a Avoid all I Wear prot Use in a w DO NOT of DO NOT of Avoid con	ersonal contact by using protective equipment. ean up procedures and avoid generating dust. suitable, labeled container for waste disposal personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. utact with incompatible materials.
Containment	Control pe Use dry cl Place in a Avoid all J Wear prot Use in a w DO NOT a DO NOT a Avoid con When han	ersonal contact by using protective equipment. ean up procedures and avoid generating dust. suitable, labeled container for waste disposal personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. etact with incompatible materials. dling, DO NOT eat, drink or smoke.
Containment	Control pe Use dry cl Place in a Avoid all J Wear prot Use in a w DO NOT a DO NOT a Avoid con When han Keep cont	ersonal contact by using protective equipment. ean up procedures and avoid generating dust. suitable, labeled container for waste disposal personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. tact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use.
Containment	Control pe Use dry cl Place in a Avoid all j Wear prot Use in a w DO NOT a Avoid con When han Keep cont Avoid phy	ersonal contact by using protective equipment. ean up procedures and avoid generating dust. suitable, labeled container for waste disposal  personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. ttact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use. visical damage to containers.
Containment	Control pe Use dry cl Place in a Avoid all J Wear prot Use in a w DO NOT DO NOT Avoid con When han Keep cont Avoid phy Always w	ersonal contact by using protective equipment. ean up procedures and avoid generating dust. suitable, labeled container for waste disposal  personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. ttact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use. vsical damage to containers. ash hands with soap and water after handling.
Containment	Control pe Use dry cl Place in a Avoid all J Wear prot Use in a w DO NOT a Avoid con When han Keep cont Avoid phy Always was	ersonal contact by using protective equipment. ean up procedures and avoid generating dust. suitable, labeled container for waste disposal  personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. ttact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use. visical damage to containers.
Containment	Control pe Use dry cl Place in a Avoid all J Wear prot Use in a w DO NOT Avoid con When han Keep cont Avoid phy Always w Use good Empty cor	ersonal contact by using protective equipment. ean up procedures and avoid generating dust. suitable, labeled container for waste disposal  personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. stact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use. vsical damage to containers. ash hands with soap and water after handling. occupational work practice.
Containment	Control pe Use dry cl Place in a Avoid all J Wear prot Use in a w DO NOT A Avoid con When han Keep cont Avoid phy Always w Use good Empty con following source.	ersonal contact by using protective equipment. ean up procedures and avoid generating dust. suitable, labeled container for waste disposal personal contact, including inhalation. ective clothing when risk of exposure occurs. rell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. tact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use. rsical damage to containers. ash hands with soap and water after handling. occupational work practice. ntainers may contain residual dust which has the potential to accumulate settling. Such dusts may explode in the presence of an appropriate ignition
Containment	Control pe Use dry cl Place in a Avoid all J Wear prot Use in a w DO NOT A Avoid con When han Keep cont Avoid phy Always w Use good Empty con following source.	ersonal contact by using protective equipment. ean up procedures and avoid generating dust. suitable, labeled container for waste disposal  personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. etact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use. vsical damage to containers. ash hands with soap and water after handling. occupational work practice. ntainers may contain residual dust which has the potential to accumulate
Containment	Control per Use dry cl Place in a Avoid all J Wear prote Use in a wear prote Use in a wear prote DO NOT Avoid con When han Keep cont Avoid phy Always we Use good Empty confollowing source.  Do NOT control of the Cont	ersonal contact by using protective equipment. ean up procedures and avoid generating dust. suitable, labeled container for waste disposal personal contact, including inhalation. ective clothing when risk of exposure occurs. rell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. tact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use. rsical damage to containers. ash hands with soap and water after handling. occupational work practice. ntainers may contain residual dust which has the potential to accumulate settling. Such dusts may explode in the presence of an appropriate ignition
	Control per Use dry cl Place in a Avoid all J Wear prote Use in a wear prote Use in a wear prote DO NOT Avoid con When han Keep cont Avoid phy Always we Use good Empty confollowing source.  Do NOT control of the Cont	ersonal contact by using protective equipment. ean up procedures and avoid generating dust. suitable, labeled container for waste disposal personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. ttact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use. vsical damage to containers. ash hands with soap and water after handling. occupational work practice. ntainers may contain residual dust which has the potential to accumulate settling. Such dusts may explode in the presence of an appropriate ignition cut, drill, grind or weld such containers

8. Exposure Control	s / Personal Protection		
Engineering controls	Local exhaust ventilation is required where solids are handled as powders or crystals; even when particulates are relatively large, a certain proportion will be powdered by mutual friction.  Exhaust ventilation should be designed to prevent accumulation and re-circulation of particulates in the workplace.  If in spite of local exhaust an adverse concentration of the substance in air could occur, respiratory protection should be considered. Such protection might consist of:  (a): particle dust respirators, if necessary, combined with an absorption cartridge;  (b): filter respirators with absorption cartridge or canister of the right type;  (c): fresh-air hoods or masks  Build-up of electrostatic charge on the dust particle, may be prevented by bonding and grounding.  Powder handling equipment such as dust collectors, dryers and mills may require additional protection measures such as explosion venting.  Air contaminants generated in the workplace possess varying "escape" velocities which,		
	in turn, determine the "capture velocities" of fresh circulating air required to efficiently		
DDE	remove the contaminant.		
PPE	Use personal protective equipment		
9. Physical and Chen			
Physical State	White Powder		
Odour	Not available		
Solubility in Water	Not available		
Specific Gravity	Not available		
pH	Not available		
Boiling Point	Not available		
Melting Point	Not available		
Flash Point	N/A		
Vapor Pressure:	N/A		
Vapor Density:	N/A		
10. Stability and Rea	<u>ctivity</u>		
Thermal Decomposition	No data available		
Dangerous Products o	f Decomposition No data available		
Dangerous Reactions	COx, NOx when burned		
	closed in a dry well-ventilated place. Store in -20 °C, dry refrigerator.		
11. Toxicological Inf			
RTECS Number	N/A		

Toxicity

No information available.

Health Hazards	Although ingestion is not thought to produce harmful
	effects, the material may still be damaging to the
	health of the individual following ingestion, especially
	where pre-existing organ (e.g. liver, kidney)
	damage is evident. In an occupational setting however,
	ingestion of insignificant quantities is not thought to be
	cause for concern.
Potential Hazards	Not available
Carcinogenicity:	No significant acute toxicological data identified
OSHA Permissible Exposure Limit(PEL) Data	N/A
ACGIH Threshold Limit Values (TLV)	N/A

Reproductive Toxicity:

No information available

## 12. Ecological Information

No information available.

## 13. Disposal Considerations

All waste must be handled in accordance with local, state and federal regulations. Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

## 14. Transport Information

Hazard Class	N/A
Identification Number	N/A
Packing Group	N/A
Proper Shipping Name (DOT)	N/A

## 15. Regulatory Information

California Proposition 65: N/A

US TSCA (Toxic Substance Control Act): N/A

US CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act: N/A

US SARA Title III (Superfund Amendments and Reauthorization Act: N/A

US Other: N/A

EC EINICS (European Inventory of Existing Commercial Chemical Substances) Number: N/A

EC Risk Statements: N/A

....

Other Country Regulations: N/A

## 16. Other Information

It is not intended for food, drug, household, agricultural or cosmetic use. A technically qualified individual experienced in handling potentially hazardous chemicals must supervise its use. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. Users should make

independent decisions regarding completeness of the information based on all sources available. AnaSpec shall not be held liable for any damage resulting from handling or from contact with the above product.