Safety Data Sheet (SDS)

Revision Number: 3.0		Last updated March 18, 2021		
1. Product and Company Identification				
Product Name:	Caspase 9 S Ac - LEH D	Substrate 1, chromogenic - pNA		
Manufacturer/Supplier:	AnaSpec, In			
	www.anaspec.com			
	34801 Camp			
	Fremont, CA			
	Tel: 510-79			
	Fax: 510-79			
	Email: servi	ce@anaspec.com		
		ogentec SA,		
	Rue du Bois	s Saint Jean 5 4102 Seraing Belgium		
	Tel. +32-4-3	3727400		
	Fax. +32-4-	3727500		
	E-mail info	@eurogentec.com		
	Kaneka Eur	ogentec Helpdesk		
	Tel. +32-4-3	3727665		
Catalog Number	AS-25278-5			
Relevant identified uses of the	For laborate	ory use only.		
substance/preparation and uses advised				
against Emergency information	Dlagga conto	act the regional Eurogentec representation in your		
Emergency information		Kaneka Eurogentec S.A. directly (from 8 am to 6		
		Caneka Eurogeniec S.A. directly (Holli 8 alli to 0		
	pm)			
2. Hazards Identification				
		dling all chemicals with caution. Use proper . To our knowledge, the hazards of this material		
	-	ance according to the GHS angerous substance according to the GHS		
GHS Signal Words: None				

GHS Hazard Statements: None

GHS Precautionary Statements: None

Potential Health Effects for:

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Good hygiene practice requires that exposure be kept to a minimum and that suitable control

measures be used in an occupational setting.

Ingestion: If swallowed, wash out mouth with water provided person is conscious. Call a physician.

Skin: In case of contact, immediately wash skin with soap and copious amount of water.

Eyes: In case of contact, immediately flush eyes with copious amounts of water for at least 15 minutes.

Chronic Exposures: No information available. We recommend limiting prolonged exposure.

Target Organs: No information available

HMIS Classification

Health hazard: 0

Chronic Health Hazard: 0

Flammability: 0
Physical hazards: 0

NFPA Rating

Health hazard: 0

Fire: 0

Reactivity Hazard: 0

3. Composition

Ingredients/Components:

Chemical Name: Caspase 9 Substrate 1, chromogenic

Ac - LEH D - pNA

Molecular formula: NA Molecular weight: 674.7

CAS-No NA EC-No NA

4. First Aid Measures

Inhalation:	If dust is inhaled, remove from contaminated area.
	Encourage patient to blow nose to ensure clear passage of breathing.
	If irritation or discomfort persists seek medical attention.
Ingestion:	If swallowed do NOT induce vomiting.
	If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.
	Observe the patient carefully.
	Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably
	drink.
	Seek medical advice.
Skin:	If skin or hair contact occurs:
	Flush skin and hair with running water (and soap if available).
	Seek medical attention in event of irritation.
Eyes:	If this product comes in contact with the eyes:
	Wash out immediately with fresh running water.
	Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the
	eyelids by occasionally lifting the upper and lower lids.
	If pain persists or recurs seek medical attention.

T 1	<u>ires</u>	W. C
Extinguishing media:		Water spray or fog.
		Alcohol resistant foam.
		Dry chemical powder. BCF (where regulations permit).
		Carbon dioxide
		Carbon dioxide
Special firefighting proc	edures:	Alert Emergency Responders and tell them location and nature of
		hazard.
		Wear breathing apparatus plus protective gloves.
		Prevent, by any means available, spillage from entering drains or water
		course.
		Use water delivered as a fine spray to control fire and cool adjacent
		area.
		DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location.
		If safe to do so, remove containers from path of fire.
		Equipment should be thoroughly decontaminated after use.
		Equipment should be thoroughly decontainmated after use.
Unusual fire and explosi	ions hazards:	Emits toxic fumes under fire conditions
6 Assidental Delega	Maagunag	
6. Accidental Release I	vieasures	
Spill response		ll ignition sources.
Spill response	Clean up a	all spills immediately.
Spill response	Clean up a Avoid con	all spills immediately. And a spills immediately. And a spills immediately.
Spill response	Clean up a Avoid con Control pe	all spills immediately. ntact with skin and eyes. ersonal contact by using protective equipment.
Spill response	Clean up a Avoid con Control pe Use dry cl	all spills immediately. Itact with skin and eyes. Personal contact by using protective equipment. Lean up procedures and avoid generating dust.
	Clean up a Avoid con Control pe Use dry cl Place in a	all spills immediately. Intact with skin and eyes. Personal contact by using protective equipment. Idean up procedures and avoid generating dust. Suitable, labeled container for waste disposal
Spill response Containment	Clean up a Avoid con Control pe Use dry cl Place in a Avoid all	all spills immediately. Intact with skin and eyes. Personal contact by using protective equipment. Idean up procedures and avoid generating dust. Is suitable, labeled container for waste disposal In personal contact, including inhalation.
	Clean up a Avoid con Control pe Use dry cl Place in a Avoid all Wear prot	all spills immediately. Intact with skin and eyes. Personal contact by using protective equipment. Idean up procedures and avoid generating dust. Suitable, labeled container for waste disposal
	Clean up a Avoid con Control pe Use dry cl Place in a Avoid all Wear prot Use in a w	all spills immediately. Intact with skin and eyes. Personal contact by using protective equipment. Idean up procedures and avoid generating dust. Is suitable, labeled container for waste disposal In personal contact, including inhalation. In ective clothing when risk of exposure occurs. In evell-ventilated area.
	Clean up a Avoid con Control pe Use dry cl Place in a Avoid all Wear prot Use in a w DO NOT	all spills immediately. Intact with skin and eyes. Personal contact by using protective equipment. Idean up procedures and avoid generating dust. Is suitable, labeled container for waste disposal In personal contact, including inhalation.
	Clean up a Avoid con Control pe Use dry cl Place in a Avoid all Wear prot Use in a w DO NOT	all spills immediately. Intact with skin and eyes. Personal contact by using protective equipment. Idean up procedures and avoid generating dust. Is suitable, labeled container for waste disposal In personal contact, including inhalation. In ective clothing when risk of exposure occurs. In evell-ventilated area.
	Clean up a Avoid con Control pe Use dry cl Place in a Avoid all Wear prot Use in a w DO NOT Avoid con When han	all spills immediately. Intact with skin and eyes. Personal contact by using protective equipment. Idean up procedures and avoid generating dust. Is suitable, labeled container for waste disposal In personal contact, including inhalation. In ective clothing when risk of exposure occurs. In evell-ventilated area. In enter confined spaces until atmosphere has been checked. In allow material to contact humans, exposed food or food utensils. In allow material to contact humans, exposed food or food utensils. In the contact with incompatible materials. In the contact humans is a space of the contact humans. In the contact humans is a space of the contact humans is a space of the contact humans. In the contact humans is a space of the contact humans is a space of the contact humans. In the contact humans is a space of the contact humans
	Clean up a Avoid con Control pe Use dry cl Place in a Avoid all Wear prot Use in a w DO NOT DO NOT Avoid con When han Keep cont	all spills immediately. Intact with skin and eyes. Personal contact by using protective equipment. Idean up procedures and avoid generating dust. Is suitable, labeled container for waste disposal Interpretation personal contact, including inhalation. Interpretation personal contact, in
	Clean up a Avoid con Control pe Use dry cl Place in a Avoid all Wear prot Use in a w DO NOT Avoid con When han Keep cont Avoid phy	all spills immediately. Intact with skin and eyes. Personal contact by using protective equipment. Idean up procedures and avoid generating dust. Is suitable, labeled container for waste disposal Impersonal contact, including inhalation. It is ective clothing when risk of exposure occurs. It is evell-ventilated area. In enter confined spaces until atmosphere has been checked. It allow material to contact humans, exposed food or food utensils. It is incompatible materials. It is inc
	Clean up a Avoid con Control pe Use dry cl Place in a Avoid all Wear prot Use in a w DO NOT Avoid con When han Keep cont Avoid phy Always w	all spills immediately. Intact with skin and eyes. Personal contact by using protective equipment. Idean up procedures and avoid generating dust. Is suitable, labeled container for waste disposal In personal contact, including inhalation. In ective clothing when risk of exposure occurs. In evell-ventilated area. In enter confined spaces until atmosphere has been checked. In allow material to contact humans, exposed food or food utensils. In extract with incompatible materials. In explain the disposal
	Clean up a Avoid con Control pe Use dry cl Place in a Avoid all Wear prot Use in a w DO NOT Avoid con When han Keep cont Avoid phy Always w Use good	all spills immediately. Intact with skin and eyes. Personal contact by using protective equipment. Idean up procedures and avoid generating dust. Is suitable, labeled container for waste disposal Impersonal contact, including inhalation. In ective clothing when risk of exposure occurs. In evell-ventilated area. In enter confined spaces until atmosphere has been checked. In allow material to contact humans, exposed food or food utensils. In that with incompatible materials. In enter the space of
	Clean up a Avoid con Control pe Use dry cl Place in a Avoid all Wear prot Use in a w DO NOT Avoid con When han Keep cont Avoid phy Always w Use good Empty con	all spills immediately. Intact with skin and eyes. Personal contact by using protective equipment. Idean up procedures and avoid generating dust. Is suitable, labeled container for waste disposal Impersonal contact, including inhalation. It ective clothing when risk of exposure occurs. It is recommended area. Interest confined spaces until atmosphere has been checked. Intact with incompatible materials. It is dling, DO NOT eat, drink or smoke. It is increased and water after handling. It is incompatible to containers. It is allow material to accumulate in the potential to accumulate in th
	Clean up a Avoid con Control pe Use dry cl Place in a Avoid all Wear prot Use in a w DO NOT Avoid con When han Keep cont Avoid phy Always w Use good Empty con following	all spills immediately. Intact with skin and eyes. Personal contact by using protective equipment. Idean up procedures and avoid generating dust. Is suitable, labeled container for waste disposal Impersonal contact, including inhalation. In ective clothing when risk of exposure occurs. In evell-ventilated area. In enter confined spaces until atmosphere has been checked. In allow material to contact humans, exposed food or food utensils. In that with incompatible materials. In enter the space of
	Clean up a Avoid con Control pe Use dry cl Place in a Avoid all Wear prot Use in a w DO NOT Avoid con When han Keep cont Avoid phy Always w Use good Empty con following source.	all spills immediately. Intact with skin and eyes. Personal contact by using protective equipment. Idean up procedures and avoid generating dust. Is suitable, labeled container for waste disposal Impersonal contact, including inhalation. It ective clothing when risk of exposure occurs. It is recommended area. Interest confined spaces until atmosphere has been checked. Intact with incompatible materials. It is dling, DO NOT eat, drink or smoke. It is increased and water after handling. It is incompatible to containers. It is allow material to accumulate in the potential to accumulate in th
Containment	Clean up a Avoid con Control pe Use dry cl Place in a Avoid all Wear prot Use in a w DO NOT Avoid con When han Keep cont Avoid phy Always w Use good Empty con following source. Do NOT o	all spills immediately. Intact with skin and eyes. Personal contact by using protective equipment. Idean up procedures and avoid generating dust. Is suitable, labeled container for waste disposal Impersonal contact, including inhalation. It will be ective clothing when risk of exposure occurs. It well-ventilated area. Interest confined spaces until atmosphere has been checked. It with incompatible materials. It with incompatible materials. It with incompatible materials. It will incompatible materials. It
	Clean up a Avoid con Control pe Use dry cl Place in a Avoid all Wear prot Use in a w DO NOT Avoid con When han Keep cont Avoid phy Always w Use good Empty con following source. Do NOT o	all spills immediately. Intact with skin and eyes. Personal contact by using protective equipment. Idean up procedures and avoid generating dust. Is suitable, labeled container for waste disposal Impersonal contact, including inhalation. In ective clothing when risk of exposure occurs. It well-ventilated area. In enter confined spaces until atmosphere has been checked. In allow material to contact humans, exposed food or food utensils. In extract with incompatible materials. In existing DO NOT eat, drink or smoke. In existing a securely sealed when not in use. It is securely sealed when not in us
Containment	Clean up a Avoid con Control pe Use dry cl Place in a Avoid all Wear prot Use in a w DO NOT Avoid con When han Keep cont Avoid phy Always w Use good Empty con following source. Do NOT o	all spills immediately. Intact with skin and eyes. Personal contact by using protective equipment. Idean up procedures and avoid generating dust. Is suitable, labeled container for waste disposal Impersonal contact, including inhalation. It will be ective clothing when risk of exposure occurs. It well-ventilated area. Interest confined spaces until atmosphere has been checked. It allow material to contact humans, exposed food or food utensils. It with incompatible materials. It with incompatible materials. It will incompatible materials

8. Exposure Control	s / Personal Protection	
Engineering controls	Local exhaust ventilation is required where solids are handled as powders or crystals; even when particulates are relatively large, a certain proportion will be powdered by mutual friction. Exhaust ventilation should be designed to prevent accumulation and re-circulation of particulates in the workplace. If in spite of local exhaust an adverse concentration of the substance in air could occur, respiratory protection should be considered. Such protection might consist of: (a): particle dust respirators, if necessary, combined with an absorption cartridge; (b): filter respirators with absorption cartridge or canister of the right type; (c): fresh-air hoods or masks Build-up of electrostatic charge on the dust particle, may be prevented by bonding and grounding. Powder handling equipment such as dust collectors, dryers and mills may require additional protection measures such as explosion venting. Air contaminants generated in the workplace possess varying "escape" velocities which, in turn, determine the "capture velocities" of fresh circulating air required to efficiently	
PPE	remove the contaminant. Use personal protective equipment	
FFE	Ose personal protective equipment	
9. Physical and Chen		
Physical State	Solid	
Odour	Not available	
Solubility in Water	Not available	
Specific Gravity	Not available	
рН	Not available	
Boiling Point	Not available	
Melting Point	Not available	
Flash Point	N/A	
Vapor Pressure:	N/A	
Vapor Density:	N/A	
10. Stability and Rea	<u>activity</u>	
Thermal Decomposition	No data available	
Dangerous Products of		
Dangerous Reactions	COx, NOx when burned	
Keep container tightly	closed in a dry well-ventilated place. Store in -20 °C, dry refrigerator.	
11. Toxicological Inf	<u>formation</u>	
RTECS Number	N/A	

Toxicity

No information available.

Health Hazards	Although ingestion is not thought to produce harmful
	effects, the material may still be damaging to the
	health of the individual following ingestion, especially
	where pre-existing organ (e.g. liver, kidney)
	damage is evident. In an occupational setting however,
	ingestion of insignificant quantities is not thought to be
	cause for concern.
Potential Hazards	Not available
Carcinogenicity:	No significant acute toxicological data identified
OSHA Permissible Exposure Limit(PEL) Data	N/A
ACGIH Threshold Limit Values (TLV)	N/A

Reproductive Toxicity:

No information available

12. Ecological Information

No information available.

13. Disposal Considerations

All waste must be handled in accordance with local, state and federal regulations. Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

14. Transport Information

Hazard Class	N/A
Identification Number	N/A
Packing Group	N/A
Proper Shipping Name (DOT)	N/A

15. Regulatory Information

California Proposition 65: N/A

US TSCA (Toxic Substance Control Act): N/A

US CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act: N/A

US SARA Title III (Superfund Amendments and Reauthorization Act: N/A

US Other: N/A

EC EINICS (European Inventory of Existing Commercial Chemical Substances) Number: N/A

EC Risk Statements: N/A

Other Country Regulations: N/A

16. Other Information

It is not intended for food, drug, household, agricultural or cosmetic use. A technically qualified individual experienced in handling potentially hazardous chemicals must supervise its use. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. Users should make

independent decisions regarding completeness of the information based on all sources available. AnaSpec shall not be held liable for any damage resulting from handling or from contact with the above product.